



VAT not included.

Export  
PRICE LIST 2021

SINKS · TAPS · ACCESSORIES

# INTRODUCTION

---

This price list replaces all previously valid price lists. It is valid for deliveries as of 1st May 2021. The prices given in this price list are recommended retail prices (VAT not included). Variations in colour and dimensions apply within the standard tolerances. We reserve the right to change colours and models. Ceramic materials from Villeroy & Boch possess a high degree of inherent stability. They are able to withstand all water temperatures and temperature shocks from hot and cold water and are resistant to steam. The glazes on sanitary ceramics from Villeroy & Boch are to a certain extent scratch-proof and resistant to all alkalis and acids which are common in the sanitary area. This scope of resistance does not include hydrofluoric acid and its compounds. Organic solvents and intensive agents will not affect the glaze. All offers, sales and deliveries of sanitary ceramic items and accessories are based on „General Sales and Delivery Conditions of Villeroy & Boch AG Bath and Wellness Division“. The manufacturer's consent shall be required for reproduction or duplication in any form, including extracts.

## CHANGE TO THE RANGE

---

### 1. NEW PRODUCTS

1.1 SINKS	
3361 01/02	Subway Style 60 (page 24)
3351 01/02	Subway Style 50 (page 35)
3361 1F/2F	Subway Style 60 Flat (page 55)
3351 1F/2F	Subway Style 50 Flat (page 63)
3340	Architectura 45 (page 38)
1.2 TAPS	
9281 00 LC	Junis Shower
9282 00 05	Junis Sky Shower
9280 00	Steel Expert 2.0
1.3 ACCESSORIES	New accessories
9K13 00	Folding draining rack in colours LC stainless steel and 05 Anthracite

### 2. DISCONTINUATION

2.1 SINKS	
6713 / 6773	Subway 50 / Subway 50 Flat
6791	Timeline 45 / Timeline 45 Flat
3306	Flavia 45
6707	Cisterna 26
alle Spülen	Farbe KW La Rose
alle Subway Spülen	Farbe KT White Pearl
2.2 TAPS	
9265 00	Steel Expert


■ GENERAL INFORMATION	4
■ BUILT-IN SINKS	15
<i>Size of undercabinet 80 cm</i>	15
<i>Size of undercabinet 60 cm</i>	17
<i>Size of undercabinet 50 cm</i>	30
<i>Size of undercabinet 45 cm</i>	38
■ UNDERCOUNTER SINKS	44
■ FLUSHMOUNTED SINKS	52
<i>Size of undercabinet 60 cm</i>	52
<i>Size of undercabinet 50 cm</i>	61
<i>Size of undercabinet 45 cm</i>	66
■ MODULES / CORNER SINKS	69
■ TAPS	77
■ SPARE PARTS AND ACCESSORIES	94
■ INSTALLATION INSTRUCTIONS	103
■ GENERAL SALES AND DELIVERY CONDITIONS	113

# COLOUR RANGE


## Classicline Ceramicplus



## Premiumline Ceramicplus



## Trendline Ceramicplus



Please consult the inner pages of the price list for the availability of colours for the different sink models.





# ORDERING SINKS WITH TAP HOLES

**When placing your order, please state the complete article number, including the desired drilled tap holes. Surcharge: 5.00 €/drilled hole (If no drilled tap holes are required, the original article number applies without the additional hole specification.)**

Example	Sink	Composition of available article numbers			Available article numbers
		Article number	Drilled tap hole	Tap hole position/s	
1	Subway Style sink with hand-operated waste in the colour R1 and tap hole 1 pre-drilled.	336101R1	HL	1	336101R1HL1
2	Subway Style sink with pop-up waste in the colour R1 and tap holes 2 and 4 pre-drilled.	336102R1	HL	24	336102R1HL24
3	Subway Style Flat sink with pop-up waste in the colour R1 and tap holes 1, 2 and 4 pre-drilled.	33612FR1	HL	124	33612FR1HL124
4	Subway Style sink with pop-up waste in the colour R1 without drilled tap hole.	336102R1	-	-	336102R1


**Please note that in the case of the Monumentum, Arena Corner and Solo Corner sinks pre-drilled hole 1 must also be specified in the order if you require several drilled tap holes.**

## Sample tap hole overview for Subway Style sink



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
 Diameter: ca. 35 mm  
 Additional charge: 9,00 €/model.

## Sample tap hole overview for Monumentum sink



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 7).  
 Diameter: ca. 35 mm  
 Additional charge: 9,00 €/model.  
 The tap holes marked with an □ are punched through as standard at the factory.  
 Hole 6 cannot be used for the pop-up waste

# CERAMIC SINKS FROM VILLEROY & BOCH

---

## THE HIGHEST QUALITY A LIFETIME LONG

*Ceramics from Villeroy & Boch combine the experience of traditional craftsmanship with maximum industrial precision. The result: products that enrich life with good design, lasting quality and with an assured sense of style. Kitchen sinks from Villeroy & Boch combine practicality and design with the tried-and-tested qualities of ceramics, which are offered by almost no other material. Discover the decisive advantages of Villeroy & Boch ceramics:*

- 1. Scratch- and knife-resistant*
- 2. Acid-resistant*
- 3. Heat-resistant*
- 4. Shock-resistant*
- 5. Hygienic and food-safe*
- 6. Stain proof*
- 7. Lightfast in each colour*
- 8. Easy to clean thanks to CeramicPlus*



# CERAMIC SINKS: DÉCORS

## BRING YOUR CERAMICS TO LIFE


*La Rose and White Pearl, two charming white-on-white décors available for selected sinks. Inspired by extensive expertise in decorative techniques from the tableware sector, the unique La Rose and White Pearl surface finishes are available exclusively from Villeroy & Boch. The new Mosaïque décor is inspired by Villeroy & Boch's famous ceramic Mettlach tiles. Many of the original pieces can still be seen today - at locations steeped in history such as Cologne Cathedral or the Holland Tunnel under the Hudson River in New York. Fascinatingly three-dimensional and unique in its effect, the décor embellishes the butler sink with a fine geometric pattern to make it the centrepiece of the modern kitchen.*



**WHITE PEARL DÉCOR**




**MOSAÏQUE DÉCOR**



**WHITE PEARL DÉCOR**

Art.no.	on tap ledge
6323	Butler sink 90 cm
6320	Butler sink 60 cm



**MOSAÏQUE DÉCOR**

Art.no.	at the front
6323	Butler sink 90 cm
6320	Butler sink 60 cm

Our décors are only available for the basic colour White Alpin (glossy) and for Butler sinks.

# CERAMIC SINKS: ADVANTAGES

## A VERY SPECIAL MATERIAL

*Kitchen sinks are subject to considerable stress because contact with acidic foods, sharp kitchen implements and hot pans is part and parcel of everyday life. This makes the quality of the material all the more important. With a ceramic sink from Villeroy & Boch, you benefit from 270 years of experience, revolutionary production techniques and 100% natural raw materials. For maximum comfort, minimum maintenance and unparalleled durability.*



### 1. SCRATCH- AND KNIFE-RESISTANT

The high-quality surface is so robust that even knives hardly leave a trace.

### 2. ACID-RESISTANT

Our ceramic easily withstands contact with acidic foods or household cleaning agents.



### 3. HEAT-RESISTANT

Hot oven dishes don't leave a mark on Villeroy & Boch ceramic sinks.

### 4. SHOCK-RESISTANT

Thanks to the great material stability, the sinks are impact-resistant, even when heavy pots and pans are placed on them.



### 5. HYGIENIC AND FOOD-SAFE

The natural material does not take on flavours or smells and so is absolutely food safe.



### 6. STAIN-PROOF

Food and drinks don't leave any trace on the surface of our ceramic sinks.



### 7. LIGHTFAST IN EACH COLOUR

Even after long-term exposure to direct sunlight, our ceramic colours stay as vivid as on the very first day.



### 8. ESPECIALLY EASY TO CLEAN

Our ceramic is very easy to clean. Thanks to the CeramicPlus finish, dirt and limescale almost disappear of their own accord.

# VILLEROY&BOCH: SUSTAINABILITY

## RESPONSIBLE: ENVIRONMENTAL PROTECTION IS SECOND NATURE TO VILLEROY & BOCH

*Environmental protection is self-evident for Villeroy & Boch, and all relevant processes are controlled and linked worldwide by a central environment management unit. With a view to developing innovative production processes and solutions making more efficient use of energy and raw materials, reducing emissions and extending the service life of products – well beyond the levels set by laws and regulations.*

### SOME OF VILLEROY & BOCH'S ENVIRONMENTAL ACTIVITIES:

- Continual reduction of waste water at all plants
- 40% reduction in CO<sub>2</sub> emissions in Mettlach since 2005
- EMAS (Eco Management and Audit Scheme) validation
- One of the first ceramics manufacturers worldwide to be awarded ISO 9001 certification
- Certification in accordance with international environmental management standard ISO 14001 and energy management standard DIN EN ISO 50001
- Quality assurance in accordance with REACH regulation (EC) No. 1907/2006 (Registration, Evaluation, Authorisation and Restriction of Chemicals)



**EMAS validation**  
(Eco Management  
And Audit Scheme)



Bend in the Saar close to the headquarters of Villeroy & Boch AG in Mettlach

# VILLEROY&BOCH: INNOVATIONS

## INNOVATIONS FOR UNIQUE QUALITY

Villeroy & Boch product development focuses on sophisticated designs with outstanding product properties. In the kitchen in particular, stability and hygiene are crucial. Two Villeroy & Boch innovations offer clear advantages:

### TITANCERAM

Villeroy & Boch's answer to the question of future materials is to fuse selected natural raw materials such as feldspar, quartz, clay and titanium dioxide to create the innovative TitanCeram. For the first time, this material permits the manufacture of products with a unique, precise design and very thin walls, sharply defined edges and all the advantages of first-class ceramics.

### CERAMICPLUS

The CeramicPlus finish ensures optimum hygiene and fresh cleanliness on kitchen surfaces: liquids form beads which simply roll down the drain. Dirt and limescale are virtually unable to gain a hold. So cleaning is quick and easy without the use of any agents that are harmful to the environment.



Conventional ceramics



CeramicPlus finish



Ceramics from master craftsmen

# CERAMIC SINKS: THE RANGE

## Built-in sinks

80 cm Size of undercabinet



-  Bowl on the right
-  Bowl on the left
-  Bowl reversible

### ARCHITECTURA 80

116 x 51 cm  
Ref. 3380  
(Page 15)



### SUBWAY 80

116 x 51 cm  
Ref. 6726  
(Page 16)



## Built-in and undercounter sinks

60 cm Size of undercabinet



### ARCHITECTURA 60

100 x 51 cm  
Ref. 3360  
(Page 17)



### ARCHITECTURA 60 XR

100 x 51 cm  
Ref. 3365  
(Page 18)



### CONDOR 60

100 x 51 cm  
Ref. 6759  
(Page 19)



### FLAVIA 60

101 x 51 cm  
Ref. 3304  
(Page 20)



### SILUET 60

100 x 51 cm  
Ref. 3336  
(Page 21)



### SILUET 60 R

100 x 51 cm  
Ref. 3337  
(Page 22)



### SILUET 60 S

60 x 51 cm  
Ref. 3346  
(Page 23)



### SUBWAY STYLE 60

100 x 51 cm  
Ref. 3361  
Ref. 3362  
(Page 24)



### SUBWAY 60

100 x 51 cm  
Ref. 6712  
Ref. 6770  
(Page 25)



### SUBWAY 60 S

60 x 51 cm  
Ref. 3309  
(Page 26)



### SUBWAY 60 XL

100 x 51 cm  
Ref. 6719  
Ref. 6718  
(Page 27)



### SUBWAY 60 XM

62 x 51 cm  
Ref. 6780  
(Page 28)



### TIMELINE 60

100 x 51 cm  
Ref. 6790  
(Page 29)



### CISTERNA 60B

54,5 x 44 cm  
for undercounter  
with strainer basin  
Ref. 6702  
(Page 44)



### CISTERNA 60C

55 x 44 cm  
for undercounter  
Ref. 6706  
(Page 45)



### SUBWAY 60 SU

54,5 x 44 cm  
for undercounter  
Ref. 3310  
(Page 48)



### SUBWAY 60 XU

54,5 x 44 cm  
for undercounter  
Ref. 6758  
(Page 49)

# CERAMIC SINKS: THE RANGE

## Built-in and undercounter sinks

50 cm Size of undercabinet



### ARCHITECTURA 50

86 x 51 cm

Ref. 3350

(Page 30)



### CONDOR 50

86 x 51 cm

Ref. 6732

(Page 31)



### FLAVIA 50

90 x 51 cm

Ref. 3305

(Page 32)



### SILUET 50

90 x 51 cm

Ref. 3335

(Page 33)



### SILUET 50 S

51 x 51 cm

Ref. 3345

(Page 34)

NEW



### SUBWAY STYLE 50

90 x 51 cm

Ref. 3351

Ref. 3352

(Page 35)



### SUBWAY 50 S

52,5 x 51 cm

Ref. 3315

(Page 36)



### TIMELINE 50

90 x 51 cm

Ref. 3307

(Page 37)



### CISTERNA 50

44,5 x 44,5 cm

for undercounter

Ref. 6703

(Page 38)



### SUBWAY 50 SU

44 x 44 cm

for undercounter

Ref. 3325

(Page 39)

## Built-in and undercounter sinks

45 cm/26 cm Size of undercabinet

NEW



### ARCHITECTURA 45

80 x 51 cm

Ref. 3340

(Page 38)



### CONDOR 45

80 x 51 cm

Ref. 6745

(Page 39)



### SILUET 45

80 x 51 cm

Ref. 3334

(Page 40)



### SUBWAY 45 COMPACT

65 x 51 cm

Ref. 3313

Ref. 3312

(Page 41)



### SUBWAY 45

78 x 51 cm

Ref. 6714

Ref. 6772

(Page 42)



### SUBWAY 45 XS

47,5 x 51 cm

Ref. 6781

(Page 43)



### CISTERNA 45

37 x 43,5 cm

for undercounter

Ref. 6704

(Page 44)



### SUBWAY 45 SU

37,5 x 44 cm

for undercounter

Ref. 3324

(Page 45)

# CERAMIC SINKS: THE RANGE

## Flush-mounted sinks

60 cm Size of undercabinet



### SILUET 60 FLAT

98 x 49 cm  
Ref. 3336  
(Page 52)



### SILUET 60 R FLAT

98 x 49 cm  
Ref. 3337  
(Page 53)



### SILUET 60 S FLAT

58 x 49 cm  
Ref. 3346  
(Page 54)



### SUBWAY STYLE 60 FLAT

96,5 x 47,5 cm  
Ref. 3361  
Ref. 3362  
(Page 55)



### SUBWAY 60 FLAT

96,5 x 47,5 cm  
Ref. 6712  
Ref. 6770  
(Page 56)



### SUBWAY 60 S FLAT

58,5 x 47,5 cm  
Ref. 3309  
(Page 57)



### SUBWAY 60 XL FLAT

96,5 x 47,5 cm  
Ref. 6719  
Ref. 6718  
(Page 58)



### SUBWAY 60 XM FLAT

58,5 x 47,5 cm  
Ref. 6780  
(Page 59)



### TIMELINE 60 FLAT

96,5 x 47,5 cm  
Ref. 6790  
(Page 60)



## Flush-mounted sinks

50 Size of undercabinet



### SILUET 50 FLAT

88 x 49 cm  
Ref. 3335  
(Page 61)



### SILUET 50 S FLAT

49 x 49 cm  
Ref. 3345  
(Page 62)



### SUBWAY STYLE 50 FLAT

88 x 49 cm  
Ref. 3351  
Ref. 3352  
(Page 63)



### SUBWAY 50 S FLAT

49 x 47,5 cm  
Ref. 3315  
(Page 64)



### TIMELINE 50 FLAT

86,5 x 47,5 cm  
Ref. 3307  
(Page 65)



## Flush-mounted sinks

45 Size of undercabinet



### SILUET 45 FLAT

78 x 49 cm  
Ref. 3334  
(Page 66)



### SUBWAY 45 FLAT

74,5 x 47,5 cm  
Ref. 6714  
Ref. 6772  
(Page 67)



### SUBWAY 45 XS FLAT

44 x 47,5 cm  
Ref. 6781  
(Page 68)

# CERAMIC SINKS: THE RANGE

## Modules

90 cm Side length



### MONUMENTUM

89,6 x 89,6 cm  
 For corner undersink cabinet diagonal  
 45° with side length: 90 cm  
 Ref. 3303  
 (Page 69)

90 cm Size of undercabinet



### DOUBLE-BOWL SINK

89,5 x 63 x 22 cm  
 Ref. 6323  
 (Page 70)

60 cm Size of undercabinet



### SINGLE-BOWL SINK

59,5 x 63 x 22 cm  
 Ref. 6320  
 (Page 71)

90 cm Size of undercabinet



### FARMHOUSE 90 X

90 x 55 x 22 cm  
 Ref. 6390  
 (Page 72)

80 cm Size of undercabinet



### FARMHOUSE 80 X

79,5 x 50 x 22 cm  
 Ref. 6380  
 (Page 73)

60 cm Size of undercabinet



### FARMHOUSE 60 X

59,5 x 50 x 20 cm  
 Ref. 6360  
 (Page 74)

## Corner Sinks

90 cm Corner undersink cabinet side length



### ARENA CORNER

97,5 x 62,5 cm  
 Only for corner installation  
 Size of undercabinet: 90 cm  
 Ref. 6729  
 (Page 75)



### SOLO CORNER

107,5 x 60 cm  
 Only for corner installation  
 Size of undercabinet: 90 cm  
 Ref. 6708  
 (Page 76)

# ARCHITECTURA 80




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 80 cm
- 2 basins, closable
- Further selection of cover caps for double turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3380 01 XX	Sink inclusive Waste system, hand-operated	1.068,00	1.198,00
3380 02 XX	Sink inclusive Waste system, pop-up	1.148,00	1.278,00


### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8345 47 K1	Inset strainer, stainless steel	130,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8223 00 61	Waste system hand-operated, chrome	118,-
8226 10 00	Waste system pop-up without Cover cap	198,-



### View of holes for tap fittings


3380



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3380



Please refer to the assembly instructions  
Required size of worktop : 113 x 48 cm

All dimensions in mm

# SUBWAY 80

BUILT-IN SINKS




- The sink is reversible
- For surface-mounted installation
- Minimum width of undersink cabinet: 80 cm
- 2 basins, closable
- Registered design
- Further selection of cover caps for double turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6726 01 XX	Sink inclusive Waste system, hand-operated	1.376,00	1.552,00
6726 02 XX	Sink inclusive Waste system, pop-up	1.456,00	1.632,00

### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K07 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8345 47 K1	Inset strainer, stainless steel	130,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8223 00 61	Waste system hand-operated, chrome	118,-
8226 10 00	Waste system pop-up without Cover cap	198,-




### View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 113 x 48 cm

All dimensions in mm

# ARCHITECTURA 60




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Further selection of cover caps for turn lever on page 97




Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3360 01 XX	Sink inclusive Waste system, hand-operated	769,00	861,00
3360 02 XX	Sink inclusive Waste system, pop-up	866,00	958,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K14 00 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8345 47 K1	Inset strainer, stainless steel	130,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings


3360



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3360



Please refer to the assembly instructions  
Required size of worktop : 97 x 48 cm

All dimensions in mm

# ARCHITECTURA 60 XR

BUILT-IN SINKS




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- 2 basins, closable
- Compatible with steamer container 1/3
- Further selection of cover caps for double turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3365 01 XX	Sink inclusive Waste system, hand-operated	785,00	872,00
3365 02 XX	Sink inclusive Waste system, pop-up	865,00	952,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K30 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8345 47 K1	Inset strainer, stainless steel	130,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8223 00 61	Waste system hand-operated, chrome	118,-
8226 10 00	Waste system pop-up without Cover cap	198,-



### View of holes for tap fittings


3365



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3365



Please refer to the assembly instructions  
Required size of worktop : 97 x 48 cm

All dimensions in mm

# CONDOR 60




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6759 01 XX	Sink inclusive Strainer bowl and Waste system, hand-operated	1.080,00	1.208,00
6759 02 XX	Sink inclusive Strainer bowl and Waste system, pop-up	1.157,00	1.285,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K02 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8306 00 K2	Strainer bowl, transparent	54,-
8345 47 K1	Inset strainer, stainless steel	130,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8214 00 61	Waste system hand-operated, chrome	88,-
8215 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings


6759



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

6759



Please refer to the assembly instructions  
Required size of worktop : 97 x 47 cm

All dimensions in mm

# FLAVIA 60

BUILT-IN SINKS




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3304 01 XX	Sink inclusive Waste system, hand-operated	1.089,00	1.226,00
3304 02 XX	Sink inclusive Waste system, pop-up	1.166,00	1.303,00


## Classicline CeramicPlus



## Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8K00 10 00	Universal beechwood cutting board	125,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K23 00 K1	Strainer bowl, stainless steel	124,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8K92 00 61	Waste system hand-operated, chrome	88,-
8K96 10 00	Waste system pop-up without Cover cap	165,-



## View of holes for tap fittings


3304



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data

3304



Please refer to the assembly instructions  
Required size of worktop : 98 x 48 cm

All dimensions in mm

# SILUET 60




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Steamer containers 1/3 and 2/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



BUILT-IN SINKS

Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3336 01 XX	Sink inclusive Waste system, hand-operated	1.108,00	1.251,00
3336 02 XX	Sink inclusive Waste system, pop-up	1.205,00	1.348,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K10 00 K1	Salad basket, stainless steel	221,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
8299 05 K1	Steamer container 2/3, Stainless steel	68,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 G1	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings


3336



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3336



Please refer to the assembly instructions  
Required size of worktop : 97 x 48 cm

All dimensions in mm

# SILUET 60 R

BUILT-IN SINKS




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Steamer container 1/3, compatible with smaller bowl or salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



€ excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3337 01 XX	Sink inclusive Waste system, hand-operated	1.225,00	1.383,00
3337 02 XX	Sink inclusive Waste system, pop-up	1.302,00	1.460,00

## Classicline CeramicPlus



## Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K11 00 K1	Salad basket, stainless steel	210,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8K92 00 61	Waste system hand-operated, chrome	88,-
8K96 10 00	Waste system pop-up without Cover cap	165,-



## View of holes for tap fittings


3337



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data

3337



Please refer to the assembly instructions  
Required size of worktop : 97 x 48 cm

All dimensions in mm

# SILUET 60 S




- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- **Material: TitanCeram**
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97




Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3346 01 XX	Sink inclusive Waste system hand-operated	969,00	1.085,00
3346 02 XX	Sink inclusive Waste system, pop-up	1.021,00	1.137,00

### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K09 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8K94 00 61	Waste system hand-operated, chrome	109,-
8K82 10 00	Waste system pop-up without Cover cap	161,-




### View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 57 x 48 cm

# SUBWAY STYLE 60

NEW

BUILT-IN SINKS




- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3361 01 XX	Sink basin right inclusive Waste system, hand-operated	952,00	1.074,00
3362 01 XX	Sink basin left inclusive Waste system, hand-operated	952,00	1.074,00
3361 02 XX	Sink basin right inclusive Waste system, pop-up	1.046,00	1.168,00
3362 02 XX	Sink basin left inclusive Waste system, pop-up	1.046,00	1.168,00

### Classicline CeramicPlus





### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K09 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-




### View of holes for tap fittings




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 97 x 48 cm



All dimensions in mm

# SUBWAY 60




- Available with bowl on the right or left-hand side
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97




Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6712 01 XX	Sink basin right inclusive Waste system, hand-operated	1.016,00	1.142,00
6770 01 XX	Sink basin left inclusive Waste system, hand-operated	1.016,00	1.142,00
6712 02 XX	Sink basin right inclusive Waste system, pop-up	1.093,00	1.219,00
6770 02 XX	Sink basin left inclusive Waste system, pop-up	1.093,00	1.219,00

### Classicline CeramicPlus





### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K04 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8214 00 61	Waste system hand-operated, chrome	88,-
8215 10 00	Waste system pop-up without Cover cap	165,-




### View of holes for tap fittings




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).

Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 97 x 48 cm



All dimensions in mm

# SUBWAY 60 S

BUILT-IN SINKS




- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3309 01 XX	Sink inclusive Waste system, hand-operated	868,00	975,00
3309 02 XX	Sink inclusive Waste system, pop-up	965,00	1.072,00


### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K09 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-





### View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 57 x 48 cm

All dimensions in mm

# SUBWAY 60 XL




- Available with bowl on the right or left-hand side
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6719 01 XX	Sink basin right inclusive Waste system, hand-operated	982,00	1.106,00
6718 01 XX	Sink basin left inclusive Waste system, hand-operated	982,00	1.106,00
6719 02 XX	Sink basin right inclusive Waste system, pop-up	1.079,00	1.203,00
6718 02 XX	Sink basin left inclusive Waste system, pop-up	1.079,00	1.203,00

### Classicline CeramicPlus





### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K09 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-





### View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 97 x 48 cm

All dimensions in mm

# SUBWAY 60 XM

BUILT-IN SINKS




- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6780 01 XX	Sink inclusive Waste system, hand-operated	911,00	1.022,00
6780 02 XX	Sink inclusive Waste system, pop-up	988,00	1.099,00

### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K04 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8214 00 61	Waste system hand-operated, chrome	88,-
8215 10 00	Waste system pop-up without Cover cap	165,-





### View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 59 x 48 cm

All dimensions in mm

# TIMELINE 60




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 60 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6790 01 XX	Sink inclusive Waste system, hand-operated	1.054,00	1.189,00
6790 02 XX	Sink inclusive Waste system, pop-up	1.151,00	1.286,00


### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K14 00 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings


6790



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

6790



Please refer to the assembly instructions  
Required size of worktop : 97 x 48 cm

All dimensions in mm

# ARCHITECTURA 50

BUILT-IN SINKS




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3350 01 XX	Sink inclusive Waste system, hand-operated	682,00	761,00
3350 02 XX	Sink inclusive Waste system, pop-up	779,00	858,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K99 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8345 47 K1	Inset strainer, stainless steel	130,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings


3350



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3350



Required size of worktop : 83 x 48 cm

All dimensions in mm

# CONDOR 50




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Registered design
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6732 01 XX	Sink inclusive Strainer bowl, Angular and Waste system, hand-operated	962,00	1.072,00
6732 02 XX	Sink inclusive Strainer bowl, Angular and Waste system, Round pop-up	1.039,00	1.149,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K03 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8314 00 K2	Strainer bowl, transparent	54,-
8345 47 K1	Inset strainer, stainless steel	130,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8244 00 61	Waste system hand-operated, chrome	88,-
8245 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings


6732



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

6732



Please refer to the assembly instructions  
Required size of worktop : 82,5 x 47 cm

# FLAVIA 50

BUILT-IN SINKS




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3305 01 XX	Sink inclusive Waste system, hand-operated	962,00	1.080,00
3305 02 XX	Sink inclusive Waste system, pop-up	1.039,00	1.157,00


### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K03 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8K00 10 00	Universal beechwood cutting board	125,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K24 00 K1	Strainer bowl, stainless steel	101,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8K93 00 61	Waste system hand-operated, chrome	88,-
8K97 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings


3305



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3305



Please refer to the assembly instructions  
Required size of worktop : 87 x 48 cm

All dimensions in mm

# SILUET 50




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Steamer container 1/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3335 01 XX	Sink inclusive Waste system, hand-operated	988,00	1.113,00
3335 02 XX	Sink inclusive Waste system, pop-up	1.085,00	1.210,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K11 00 K1	Salad basket, stainless steel	210,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings


3335



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3335



Please refer to the assembly instructions  
Required size of worktop : 87 x 48 cm

# SILUET 50 S

BUILT-IN SINKS




- For surface-mounted installation
- Flexible installation of the sink: the strainer bowl can be positioned at the back or to either the right- or left-hand side
- Minimum width of undersink cabinet: 50 cm
- **Material: TitanCeram**
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97




€ excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3345 01 XX	Sink inclusive Waste system hand-operated	859,00	959,00
3345 02 XX	Sink inclusive Waste system, pop-up	911,00	1.011,00

### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K99 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K04 00 K1	Inset strainer, stainless steel	66,-
8345 47 K1	Inset strainer, stainless steel	130,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8K94 00 61	Waste system hand-operated, chrome	109,-
8K82 10 00	Waste system pop-up without Cover cap	161,-




### View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 48 x 48 cm

All dimensions in mm

# SUBWAY STYLE 50

NEW



- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97


Ceramic Plus  
Villeroy & Boch



BUILT-IN SINKS

Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3351 01 XX	Sink basin right inclusive Waste system, hand-operated	876,00	986,00
3352 01 XX	Sink basin left inclusive Waste system, hand-operated	876,00	986,00
3351 02 XX	Sink basin right inclusive Waste system, pop-up	970,00	1.080,00
3352 02 XX	Sink basin left inclusive Waste system, pop-up	970,00	1.080,00


### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K11 00 K1	Salad basket, stainless steel	210,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, stainless steel	49,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-




### View of holes for tap fittings

3351




3352




### Engineering data

3351



3352



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

Please refer to the assembly instructions  
Required size of worktop : 87 x 48 cm

All dimensions in mm

# SUBWAY 50 S

BUILT-IN SINKS




- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Steamer containers 1/3 and 2/3 compatible with salad basket
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97




Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3315 01 XX	Sink inclusive Waste system, hand-operated	770,00	863,00
3315 02 XX	Sink inclusive Waste system, pop-up	867,00	960,00

### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K99 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
8299 05 K1	Steamer container 2/3, Stainless steel	68,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-





### View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 49,5 x 48 cm

All dimensions in mm

# TIMELINE 50




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 50 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97




Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3307 01 XX	Sink inclusive Waste system, hand-operated	940,00	1.058,00
3307 02 XX	Sink inclusive Waste system, pop-up	1.037,00	1.155,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K29 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings

3307



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3307

Please refer to the assembly instructions  
Required size of worktop : 87 x 48 cm

All dimensions in mm

# ARCHITECTURA 45

BUILT-IN SINKS




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3340 01 XX	Sink inclusive Waste system, hand-operated	659,00	737,00
3340 02 XX	Sink inclusive Waste system, pop-up	753,00	831,00


### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8345 47 K1	Inset strainer, stainless steel	130,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings


3340



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3340



Please refer to the assembly instructions  
Required size of worktop : 77 x 48 cm

All dimensions in mm

# CONDOR 45




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6745 01 XX	Sink inclusive Waste system, hand-operated	787,00	879,00
6745 02 XX	Sink inclusive Waste system, pop-up	864,00	956,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K30 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8345 47 K1	Inset strainer, stainless steel	130,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8231 00 61	Waste system hand-operated, chrome	88,-
8233 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings


6745



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

6745



Please refer to the assembly instructions  
Required size of worktop : 76 x 47 cm

All dimensions in mm

# SILUET 45

BUILT-IN SINKS




- **The sink is reversible**
- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Steamer container 1/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3334 01 XX	Sink inclusive Waste system, hand-operated	863,00	970,00
3334 02 XX	Sink inclusive Waste system, pop-up	960,00	1.067,00


### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K12 00 K1	Salad basket, stainless steel	198,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-



### View of holes for tap fittings



3334



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3334



Please refer to the assembly instructions  
Required size of worktop : 77 x 48 cm

All dimensions in mm

# SUBWAY 45 COMPACT




- Available with bowl on the right or left-hand side
- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



BUILT-IN SINKS

Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3313 01 XX	Sink basin right inclusive Waste system, hand-operated	747,00	836,00
3312 01 XX	Sink basin left inclusive Waste system, hand-operated	747,00	836,00
3313 02 XX	Sink basin right inclusive Waste system, pop-up	844,00	933,00
3312 02 XX	Sink basin left inclusive Waste system, pop-up	844,00	933,00


### Classicline CeramicPlus





### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K06 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-




### View of holes for tap fittings




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 62 x 48 cm



All dimensions in mm

# SUBWAY 45

BUILT-IN SINKS




- Available with bowl on the right or left-hand side
- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6714 01 XX	Sink basin right inclusive Waste system, hand-operated	757,00	848,00
6772 01 XX	Sink basin left inclusive Waste system, hand-operated	757,00	848,00
6714 02 XX	Sink basin right inclusive Waste system, pop-up	854,00	945,00
6772 02 XX	Sink basin left inclusive Waste system, pop-up	854,00	945,00

### Classicline CeramicPlus





### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K06 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-




### View of holes for tap fittings




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 74 x 48 cm



All dimensions in mm

# SUBWAY 45 XS




- For surface-mounted installation
- Minimum width of undersink cabinet: 45 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97




Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6781 01 XX	Sink inclusive Waste system, hand-operated	750,00	840,00
6781 02 XX	Sink inclusive Waste system, pop-up	847,00	937,00

### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K06 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-




### View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions  
Required size of worktop : 44,5 x 48 cm

# CISTERNA 60B




- Installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- 2 basins, closable
- Registered design
- Possible combinations undercounter see pages 111-112
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for double turn lever on page 97




UNDERCOUNTER SINKS

Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6702 01 XX	Undercounter Sink inclusive Waste system, hand-operated, Fastening set and Strainer bowl	936,00	1.031,00
6702 02 XX	Undercounter Sink inclusive Waste system, pop-up, Fastening set and Strainer bowl	1.013,00	1.108,00


### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
9841 00 K1	Salad basket, stainless steel	145,-
9K08 00 K1	Rolling mat, stainless steel	118,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9851 00 K2	Strainer bowl, transparent	56,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8282 00 61	Waste system hand-operated, chrome	118,-
8283 10 00	Waste system pop-up without Cover cap	195,-
9218 03 00	Fastening set	41,-




### Required size of worktop



Required size of worktop :  
see attached template  
(Ref. 9307 71 A2)

### Engineering data



Please refer to the assembly instructions

# CISTERNA 60C




- Installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Possible combinations undercounter see pages 111-112
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6706 01 XX	Undercounter Sink inclusive Waste system, hand-operated and Fastening set	889,00	993,00
6706 02 XX	Undercounter Sink inclusive Waste system, pop-up and Fastening set	986,00	1.090,00


### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8397 00 K1	Salad basket, stainless steel	145,-
9K08 00 K1	Rolling mat, stainless steel	118,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 G1	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9218 03 00	Fastening set	41,-




### Required size of worktop



Required size of worktop :  
see attached template  
(Ref. 9307 91 A3)

### Engineering data



Please refer to the assembly instructions

All dimensions in mm

# CISTERNA 50



- Installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 50 cm
- Registered design
- Possible combinations undercounter see pages 111-112
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97




UNDERCOUNTER SINKS

€ excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6703 01 XX	Undercounter Sink inclusive Waste system, hand-operated and Fastening set	825,00	920,00
6703 02 XX	Undercounter Sink inclusive Waste system, pop-up and Fastening set	922,00	1.017,00


### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
9849 00 K1	Salad basket, stainless steel	145,-
9K08 00 K1	Rolling mat, stainless steel	118,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9218 03 00	Fastening set	41,-




### Required size of worktop



Required size of worktop :  
see attached template  
(Ref. 9307 72 A2)

### Engineering data



Please refer to the assembly instructions

All dimensions in mm

# CISTERNA 45




- Installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 45 cm
- Registered design
- Possible combinations undercounter see pages 111-112
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97




Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6704 01 XX	Undercounter Sink inclusive Waste system, hand-operated and Fastening set	793,00	883,00
6704 02 XX	Undercounter Sink inclusive Waste system, pop-up and Fastening set	890,00	980,00


### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K03 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9218 03 00	Fastening set	41,-




### Required size of worktop



Required size of worktop :  
see attached template  
(Ref. 9307 73 A2)

### Engineering data



Please refer to the assembly instructions

# SUBWAY 60 SU




- Installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- Possible combinations undercounter see pages 111-112
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



UNDERCOUNTER SINKS

Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3310 01 XX	Undercounter Sink inclusive Waste system, hand-operated	916,00	1.030,00
3310 02 XX	Undercounter Sink inclusive Waste system, pop-up	1.013,00	1.127,00


### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8397 00 K1	Salad basket, stainless steel	145,-
9K08 00 K1	Rolling mat, stainless steel	118,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9218 03 00	Fastening set	41,-




### Required size of worktop



Required size of worktop :  
see attached template  
(Ref. 9307 G9 A9)

### Engineering data



Please refer to the assembly instructions

All dimensions in mm

# SUBWAY 60 XU




- Installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- 2 basins, closable
- Steamer containers 1/3 and 2/3 compatible with salad basket
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for double turn lever on page 97




Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6758 01 XX	Undercounter Sink inclusive Waste system, hand-operated	958,00	1.071,00
6758 02 XX	Undercounter Sink inclusive Waste system, pop-up	1.035,00	1.148,00


### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
9841 00 K1	Salad basket, stainless steel	145,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
8299 05 K1	Steamer container 2/3, Stainless steel	68,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8282 00 61	Waste system hand-operated, chrome	118,-
8283 10 00	Waste system pop-up without Cover cap	195,-
9218 03 00	Fastening set	41,-





### Required size of worktop



Required size of worktop :  
see attached template  
(Ref. 9307 G9 A9)

### Engineering data



Please refer to the assembly instructions

# SUBWAY 50 SU



- Installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 50 cm
- Possible combinations undercounter see pages 111-112
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97




UNDERCOUNTER SINKS

€ excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3325 01 XX	Undercounter Sink inclusive Waste system, hand-operated	757,00	848,00
3325 02 XX	Undercounter Sink inclusive Waste system, pop-up	854,00	945,00


### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
9849 00 K1	Salad basket, stainless steel	145,-
9K08 00 K1	Rolling mat, stainless steel	118,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9218 03 00	Fastening set	41,-





### Required size of worktop



Required size of worktop :  
see attached template  
(Ref. 9307 L0 A4)

### Engineering data



Please refer to the assembly instructions

All dimensions in mm

# SUBWAY 45 SU




- Installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 45 cm
- Possible combinations undercounter see pages 111-112
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3324 01 XX	Undercounter Sink inclusive Waste system, hand-operated	744,00	833,00
3324 02 XX	Undercounter Sink inclusive Waste system, pop-up	841,00	930,00

### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K03 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9218 03 00	Fastening set	41,-





### Required size of worktop



Required size of worktop :  
see attached template  
(Ref. 9307 L1 A4)

### Engineering data



Please refer to the assembly instructions

# SILUET 60 FLAT




- **The sink is reversible**
- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 3 cm
- Steamer containers 1/3 and 2/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3336 1F XX	Sink inclusive Waste system, hand-operated	1.209,00	1.367,00
3336 2F XX	Sink inclusive Waste system, pop-up	1.306,00	1.464,00

## Classicline CeramicPlus



## Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K10 00 K1	Salad basket, stainless steel	221,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
8299 05 K1	Steamer container 2/3, Stainless steel	68,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-



## View of holes for tap fittings


3336



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data

3336



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# SILUET 60 R FLAT




- **The sink is reversible**
- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 3 cm
- Compatible with steamer container 1/3
- **Material: TitanCeram**
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



€ excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3337 1F XX	Sink inclusive Waste system, hand-operated	1.279,00	1.445,00
3337 2F XX	Sink inclusive Waste system, pop-up	1.356,00	1.522,00

## Classicline CeramicPlus



## Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K11 00 K1	Salad basket, stainless steel	210,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8K92 00 61	Waste system hand-operated, chrome	88,-
8K96 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-



## View of holes for tap fittings


3337



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data

3337



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# SILUET 60 S FLAT



- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- **Material: TitanCeram**
- Minimum thickness of the countertop: at least 3 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



€ excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3346 1F XX	Sink inclusive Waste system hand-operated	1.027,00	1.152,00
3346 2F XX	Sink inclusive Waste system, pop-up	1.079,00	1.204,00

## Classicline CeramicPlus




## Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K09 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8K94 00 61	Waste system hand-operated, chrome	109,-
8K82 10 00	Waste system pop-up without Cover cap	161,-
9220 58 00	Installation kit	21,-




## View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data



Please refer to the assembly instructions

All dimensions in mm

# SUBWAY STYLE 60 FLAT

NEW




- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3361 1F XX	Sink basin right inclusive Waste system, hand-operated	1.028,00	1.161,00
3362 1F XX	Sink basin left inclusive Waste system, hand-operated	1.028,00	1.161,00
3361 2F XX	Sink basin right inclusive Waste system, pop-up	1.122,00	1.255,00
3362 2F XX	Sink basin left inclusive Waste system, pop-up	1.122,00	1.255,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K09 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-




### View of holes for tap fittings

3361




3362




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3361



3362



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# SUBWAY 60 FLAT



- Available with bowl on the right or left-hand side
- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 4 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6712 1F XX	Sink basin right inclusive Waste system, hand-operated	1.127,00	1.270,00
6770 1F XX	Sink basin left inclusive Waste system, hand-operated	1.127,00	1.270,00
6712 2F XX	Sink basin right inclusive Waste system pop-up	1.204,00	1.347,00
6770 2F XX	Sink basin left inclusive Waste system pop-up	1.204,00	1.347,00

## Classicline CeramicPlus





## Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K04 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8214 00 61	Waste system hand-operated, chrome	88,-
8215 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-





## View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# SUBWAY 60 S FLAT



- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop: at least 3 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3309 1F XX	Sink inclusive Waste system, hand-operated	961,00	1.082,00
3309 2F XX	Sink inclusive Waste system, pop-up	1.058,00	1.179,00

## Classicline CeramicPlus




## Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K09 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-





## View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

# SUBWAY 60 XL FLAT



- Available with bowl on the right or left-hand side
- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 4 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6719 1F XX	Sink basin right inclusive Waste system, hand-operated	1.060,00	1.196,00
6718 1F XX	Sink basin left inclusive Waste system, hand-operated	1.060,00	1.196,00
6719 2F XX	Sink basin right inclusive Waste system, pop-up	1.157,00	1.293,00
6718 2F XX	Sink basin left inclusive Waste system, pop-up	1.157,00	1.293,00

## Classicline CeramicPlus





## Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K09 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-





## View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# SUBWAY 60 XM FLAT




- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop: at least 3 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6780 1F XX	Sink inclusive Waste system, hand-operated	993,00	1.116,00
6780 2F XX	Sink inclusive Waste system, pop-up	1.070,00	1.193,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K04 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8214 00 61	Waste system hand-operated, chrome	88,-
8215 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-



### View of holes for tap fittings



6780



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

6780



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

# TIMELINE 60 FLAT



- **The sink is reversible**
- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 60 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 4 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



€ excl. VAT € excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6790 1F XX	Sink inclusive Waste system, hand-operated	1.173,00	1.326,00
6790 2F XX	Sink inclusive Waste system, pop-up	1.270,00	1.423,00


## Classicline CeramicPlus



## Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K14 00 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-



## View of holes for tap fittings


6790



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data

6790



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# SILUET 50 FLAT



- **The sink is reversible**
- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 50 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 3 cm
- Steamer container 1/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



€ excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3335 1F XX	Sink inclusive Waste system, hand-operated	1.080,00	1.219,00
3335 2F XX	Sink inclusive Waste system, pop-up	1.177,00	1.316,00

## Classicline CeramicPlus



## Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K11 00 K1	Salad basket, stainless steel	210,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-



## View of holes for tap fittings


3335



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data

3335



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# SILUET 50 S FLAT



- For flush-fit installation in natural stone or artificial stone countertops
- Flexible installation of the sink: the strainer bowl can be positioned at the back or to either the right- or left-hand side
- Minimum width of undersink cabinet: 50 cm
- **Material: TitanCeram**
- Minimum thickness of the countertop: at least 3 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



€ excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3345 1F XX	Sink inclusive Waste system hand-operated	918,00	1.027,00
3345 2F XX	Sink inclusive Waste system, pop-up	970,00	1.079,00


## Classicline CeramicPlus




## Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K99 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K04 00 K1	Inset strainer, stainless steel	66,-
8345 47 K1	Inset strainer, stainless steel	130,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8K94 00 61	Waste system hand-operated, chrome	109,-
8K82 10 00	Waste system pop-up without Cover cap	161,-
9220 58 00	Installation kit	21,-




## View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data



Please refer to the assembly instructions

All dimensions in mm

# SUBWAY STYLE 50 FLAT

NEW




- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 50 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3351 1F XX	Sink basin right inclusive Waste system, hand-operated	946,00	1.067,00
3352 1F XX	Sink basin left inclusive Waste system, hand-operated	946,00	1.067,00
3351 2F XX	Sink basin right inclusive Waste system, pop-up	1.040,00	1.161,00
3352 2F XX	Sink basin left inclusive Waste system, pop-up	1.040,00	1.161,00

### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K11 00 K1	Salad basket, stainless steel	210,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, stainless steel	49,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-




### View of holes for tap fittings

3351




3352




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

3351



3352



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# SUBWAY 50 S FLAT



- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 50 cm
- Minimum thickness of the countertop: at least 3 cm
- Steamer containers 1/3 and 2/3 compatible with salad basket
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3315 1F XX	Sink inclusive Waste system, hand-operated	861,00	967,00
3315 2F XX	Sink inclusive Waste system, pop-up	958,00	1.064,00

## Classicline CeramicPlus




## Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K99 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
8299 05 K1	Steamer container 2/3, Stainless steel	68,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-





## View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# TIMELINE 50 FLAT



- **The sink is reversible**
- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 50 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 4 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3307 1F XX	Sink inclusive Waste system, hand-operated	1.048,00	1.182,00
3307 2F XX	Sink inclusive Waste system, pop-up	1.145,00	1.279,00

## Classicline CeramicPlus



## Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K29 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-



## View of holes for tap fittings


3307



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data

3307



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# SILUET 45 FLAT



- **The sink is reversible**
- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 45 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 3 cm
- Steamer container 1/3 compatible with salad basket
- **Material: TitanCeram**
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



€ excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
3334 1F XX	Sink inclusive Waste system, hand-operated	943,00	1.062,00
3334 2F XX	Sink inclusive Waste system, pop-up	1.040,00	1.159,00


## Classicline CeramicPlus



## Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K12 00 K1	Salad basket, stainless steel	198,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K36 10 00	Universal cutting board walnut	178,-
8299 06 K1	Steamer container 1/3, Stainless steel	49,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-



## View of holes for tap fittings


3334



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data

3334



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# SUBWAY 45 FLAT



- Available with bowl on the right or left-hand side
- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 45 cm
- Minimum thickness of the countertop when placed with a dishwasher: at least 4 cm
- Registered design
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6714 1F XX	Sink basin right inclusive Waste system, hand-operated	879,00	988,00
6772 1F XX	Sink basin left inclusive Waste system, hand-operated	879,00	988,00
6714 2F XX	Sink basin right inclusive Waste system, pop-up	976,00	1.085,00
6772 2F XX	Sink basin left inclusive Waste system, pop-up	976,00	1.085,00

### Classicline CeramicPlus





### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
8K06 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-





### View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# SUBWAY 45 XS FLAT




- For flush-fit installation in natural stone or artificial stone countertops
- Minimum width of undersink cabinet: 45 cm
- Minimum thickness of the countertop: at least 3 cm
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



€ excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline
6781 1F XX	Sink inclusive Waste system, hand-operated	835,00	937,00
6781 2F XX	Sink inclusive Waste system, pop-up	932,00	1.034,00

## Classicline CeramicPlus



## Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K06 10 00	Accessory set: a universal cutting board made of beech and a stainless steel salad basket	146,-
9K08 00 K1	Rolling mat, stainless steel	118,-
8K33 10 00	Cutting board walnut	154,-
8K36 10 00	Universal cutting board walnut	178,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K37 00 K1	Strainer bowl, stainless steel	124,-
9K04 00 K1	Inset strainer, stainless steel	66,-
9K13 00 LC	Folding draining rack, you will find more colours on page 96	132,-
8276 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-
9220 58 00	Installation kit	21,-



## View of holes for tap fittings



6781



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data

6781



Please refer to the assembly instructions and cut-out dimensions of the countertop on pages 108-110

All dimensions in mm

# MONUMENTUM




- Corner element
- Installation on a corner undersink cabinet with 90 cm side length
- Minimum width of undersink cabinet: 90 cm
- 2 basins, closable
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for double turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
3303 01 XX	Corner element inclusive Waste system, hand-operated and Fastening set	1.882,00	2.134,00
3303 02 XX	Corner element inclusive Waste system, pop-up and Fastening set	1.959,00	2.211,00

### Classicline CeramicPlus




### Premiumline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
9K08 00 K1	Rolling mat, stainless steel	118,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8K18 00 61	Waste system hand-operated, chrome	88,-
8K19 10 00	Waste system pop-up without Cover cap	165,-
9208 46 00	Fastening set	31,-




### View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

The tap holes marked with an  $\square$  are punched through as standard at the factory.  
Hole 6 cannot be used for the pop-up waste

### Engineering data



\* unglazed edge  
Please refer to the assembly instructions

All dimensions in mm

# DOUBLE-BOWL SINK




- Assembly on a vanity unit or wall-mounted
- Minimum width of undersink cabinet: 90 cm
- 2 basins, closable
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for double turn lever on page 97



€ excl. VAT

Ref.	Description (for XX, please enter colour number)	Classicline	Premiumline	Trendline
6323 91 XX	Double-bowl sink inclusive Strainer bowl, Waste system, hand-operated and Fastening set for installation with cabinet	1.640,00	1.844,00	1.980,00
6323 92 XX	Double-bowl sink inclusive Strainer bowl, Waste system, pop-up and Fastening set for installation with cabinet	1.717,00	1.921,00	2.057,00


### Classicline CeramicPlus




### Premiumline CeramicPlus



### Trendline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8341 00 K1	Salad basket, Angular for double-bowl sink 6323, Stainless steel	145,-
9K08 00 K1	Rolling mat, stainless steel	118,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8323 00 K2	Strainer bowl, transparent	54,-
8262 00 61	Waste system hand-operated, chrome	88,-
8232 10 00	Waste system pop-up without Cover cap	165,-
9208 49 00	Fastening set for installation with cabinet	50,-
9208 47 00	Fastening set for wall-mounting without cabinet	136,-



MODULES / CORNER SINKS

### View of holes for tap fittings


6323



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

### Engineering data

6323



\* unglazed edge

Please refer to the assembly instructions

All dimensions in mm

# SINGLE-BOWL SINK




- Assembly on a vanity unit or wall-mounted
- Minimum width of undersink cabinet: 60 cm
- Compatible with the soap dispenser 9236 20 on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT		
		Classicline	Premiumline	Trendline
6320 61 XX	Single-bowl Sink inclusive Waste system, hand-operated and Fastening set for installation with cabinet	946,00	1.057,00	1.131,00
6320 62 XX	Single-bowl Sink inclusive Waste system, pop-up and Fastening set for installation with cabinet	1.043,00	1.154,00	1.228,00


## Classicline CeramicPlus



## Premiumline CeramicPlus




## Trendline CeramicPlus



Ref.	Optional accessories / spare parts	€ excl. VAT
9K08 00 K1	Rolling mat, stainless steel	118,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8270 00 61	Waste system hand-operated, chrome	68,-
8233 10 00	Waste system pop-up without Cover cap	165,-
9208 49 00	Fastening set for installation with cabinet	50,-
9208 47 00	Fastening set for wall-mounting without cabinet	136,-




## View of holes for tap fittings



When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

## Engineering data



\* unglazed edge  
Please refer to the assembly instructions

All dimensions in mm

# FARMHOUSE 90 X



- Assembly on a vanity unit
- Installation in natural or artificial stone countertops recommended
- Minimum width of undersink cabinet: 90 cm
- 2 basins, closable
- **Note for planning:** The rear is unglazed and the projection is 55 cm. Overhang varies depending on the furniture manufacturer.
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for double turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6390 01 XX	Double-bowl Sink inclusive Waste system, hand-operated	1.280,00	1.442,00
6390 02 XX	Double-bowl Sink inclusive Waste system, pop-up	1.360,00	1.522,00

### Classicline CeramicPlus

-  RW Stone White
-  R1 White alpin glossy
-  KR Cream glossy

### Premiumline CeramicPlus

-  S5 Ebony


Ref.	Optional accessories / spare parts	€ excl. VAT
9624 15 LC	Cap waste cover, stainless steel	37,-
8223 00 61	Waste system hand-operated, chrome	118,-
8226 10 00	Waste system pop-up without Cover cap	198,-



MODULES / CORNER SINKS

### View of holes for tap fittings

### Engineering data



\* unglazed edge  
Please refer to the assembly instructions

All dimensions in mm

# FARMHOUSE 80 X



- Assembly on a vanity unit
- Installation in natural or artificial stone countertops recommended
- Minimum width of undersink cabinet: 80 cm
- 2 basins, closable
- **Note for planning:** The rear is unglazed and the projection is 50 cm. Overhang varies depending on the furniture manufacturer.
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for double turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6380 01 XX	Double-bowl Sink inclusive Waste system, hand-operated	1.069,00	1.199,00
6380 02 XX	Double-bowl Sink inclusive Waste system, pop-up	1.149,00	1.279,00

### Classicline CeramicPlus



RW Stone  
White




R1 White  
alpin glossy



KR Cream  
glossy

### Premiumline CeramicPlus




S5 Ebony

Ref.	Optional accessories / spare parts	€ excl. VAT
9624 15 LC	Cap waste cover, stainless steel	37,-
8223 00 61	Waste system hand-operated, chrome	118,-
8226 10 00	Waste system pop-up without Cover cap	198,-



### View of holes for tap fittings

### Engineering data



\* unglazed edge

Please refer to the assembly instructions

All dimensions in mm

# FARMHOUSE 60 X




- Assembly on a vanity unit
- Installation in natural or artificial stone countertops recommended
- Minimum width of undersink cabinet: 60 cm
- **Note for planning:** The rear is unglazed and the projection is 50 cm. Overhang varies depending on the furniture manufacturer.
- Compatible with all soap dispensers on page 93
- Further selection of cover caps for turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6360 01 XX	Single-bowl Sink inclusive Waste system, hand-operated	801,00	898,00
6360 02 XX	Single-bowl Sink inclusive Waste system, pop-up	898,00	995,00

## Classicline CeramicPlus



## Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
9K08 00 K1	Rolling mat, stainless steel	118,-
9624 15 LC	Cap waste cover, stainless steel	37,-
8270 00 61	Waste system hand-operated, chrome	68,-
8286 10 00	Waste system pop-up without Cover cap	165,-



## View of holes for tap fittings

## Engineering data



\* unglazed edge  
Please refer to the assembly instructions

All dimensions in mm

# ARENA CORNER




- Corner sink
- For surface-mounted installation
- Installation on a corner undersink cabinet with 90 cm side length
- Registered design
- Further selection of cover caps for turn lever on page 97




Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6729 01 XX	Corner sink with additional outlet in the draining board inclusive Strainer bowl and Waste system, hand-operated	1.303,00	1.464,00
6729 02 XX	Corner sink with additional outlet in the draining board inclusive Strainer bowl and Waste system, pop-up	1.380,00	1.541,00

## Classicline CeramicPlus



## Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8349 00 K1	Salad basket, stainless steel	145,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9837 00 K2	Strainer bowl, transparent	58,-
8248 00 61	Waste system hand-operated, chrome	88,-
8249 10 00	Waste system pop-up without Cover cap	165,-



## View of holes for tap fittings

6729




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

The tap holes marked with an  $\square$  are punched through as standard at the factory.

## Engineering data

6729



Please refer to the assembly instructions  
Required size of worktop: see attached template (Ref. 9307 22 A0)

All dimensions in mm

# SOLO CORNER




- Corner sink
- For surface-mounted installation
- Installation on a corner undersink cabinet with 90 cm side length
- 2 basins, closable
- Registered design
- Further selection of cover caps for double turn lever on page 97



Ref.	Description (for XX, please enter colour number)	€ excl. VAT	
		Classicline	Premiumline
6708 01 XX	Corner Sink inclusive Waste system, hand-operated and Strainer bowl	1.122,00	1.257,00
6708 02 XX	Corner Sink inclusive Waste system, pop-up and Strainer bowl	1.194,00	1.329,00


### Classicline CeramicPlus



### Premiumline CeramicPlus




Ref.	Optional accessories / spare parts	€ excl. VAT
8K09 00 K1	Salad basket, stainless steel	145,-
9624 15 LC	Cap waste cover, stainless steel	37,-
9888 50 K2	Strainer bowl, transparent	56,-
8K80 00 61	Waste system hand-operated, chrome	84,-
8K81 10 00	Waste system pop-up without Cover cap	156,-



MODULES / CORNER SINKS

### View of holes for tap fittings

6708




When ordering, please specify the tap hole you would like us to drill for you, by using tap hole reference number (see page 5).  
Diameter: ca. 35 mm  
Additional charge: 9,00 €/model.

The tap holes marked with an □ are punched through as standard at the factory.

### Engineering data

6708



Please refer to the assembly instructions  
Required size of worktop: see attached template (Ref. 9307 B3 A5)

All dimensions in mm

# KITCHEN TAPS ADVANTAGES


## INTELLIGENT DETAILS FOR SOPHISTICATED KITCHENS

Ranging from traditional to modern, Villeroy & Boch premium kitchen taps are available in a wide variety of styles. Perfectly matched to the design of your kitchen sink, they offer maximum functionality and perfect comfort for every room. Discover the many advantages of our taps series and benefit from our unique quality.



### COLOURFUL DESIGNS

Our taps are perfectly matched to the kitchen sinks. 5 lightfast colours are available for selected collections and add the finishing touch to a harmonious colour scheme.



### HIGH-QUALITY MATERIAL

Thanks to premium stainless steel, the taps are more robust, rust-proof, easy to clean, lead-free and durable. The components inside are sourced from European market leaders.

### MAXIMUM COMFORT

Additional functions, such as a retractable hand shower, different types of water jet and low-pressure solutions, offer maximum comfort in everyday use.



### OPTIMUM INSTALLATION

Solutions for installation directly in front of the window and external connectors ensure quick and easy installation in every situation.

TAPS

# KITCHEN TAPS ADVANTAGES

	Technology							Colours			
								Polished stainless steel	Solid stainless steel	Gold / Bronze	Anthracite
AVIA 2.0				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
COMO					<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
COMO SHOWER	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
COMO SKY			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
COMO SKY SHOWER	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
COMO WINDOW						<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		
COMO SHOWER WINDOW	<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		
COMO SWITCH	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			
COMO X					<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		
FINERA			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
FINERA SQUARE			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		
FINERA SLOPE			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		
FINERA SLOPE SQUARE			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		
JUNIS SHOWER	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		
JUNIS SKY SHOWER	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		
MODERN STEEL				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>
STEEL SHOWER	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
SORANO			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		
SORANO SHOWER	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		
SORANO SKY			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		
SORANO SKY SHOWER	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		
STEEL EXPERT 2.0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
STEEL EXPERT COMPACT	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
UMBRELLA				<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
UMBRELLA FLEX	<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

- 1) Pull-out, hand-held spray:** high flexibility when cleaning pots and pans. Extensive freedom of movement for the hand-held spray ensures that all types and sizes of pot and other receptacles can be filled with ease
- 2) Spray mode button:** For fast and simple switching between the different spray modes.
- 3) Adjustable aerator:** The flexible aerator enables individual adjustment of the spray direction to enlarge the sphere of action.
- 4) Comfort Plus:** A tap fitting of a practical height, offering plenty of freedom of movement – the perfect thing for easier cleaning of baking trays and for filling large vessels, for example.
- 5) Comfort jet:** The aerated comfort jet saves water, is pleasant on the skin and offers convenience when rinsing off food and kitchen utensils.
- 6) Laminar jet:** The crystal clear jet is perfect for practically splash-free washing of fruit and vegetables.
- 7) Spray jet:** Powerful, efficient water jet - ideal for cleaning pots and pans

# AVIA 2.0

## Avia 2.0



Stainless steel      Gold      Bronze      Anthracite




Ref.	Description	€ excl. VAT
9240 00 LC	Stainless steel	487,-
9240 00 03	Gold	632,-
9240 00 04	Bronze	632,-
9240 00 05	Anthracite	632,-

Soap dispensers in matching colours are available for these taps on pages 93, cap valve covers are to be found on page 95, cover caps for the overflow on page 96 and cover caps for turn knobs on page 97.

### Engineering data

#### 9240 00

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Tap can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Flow rate comfort jet: 11,2 l/Min
- Flexible connection hoses, length 600 mm



# COMO / COMO SHOWER

## Como



Ref.	Description	€ excl. VAT
9251 00 LC	Stainless steel	319,-
9251 00 LE	Stainless steel polished	319,-

## Como Shower




Ref.	Description	€ excl. VAT
9252 00 LC	Stainless steel	426,-
9252 00 LE	Stainless steel polished	426,-

### Engineering data

#### 9251 00


- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Flow rate comfort jet: 15,3 l/Min
- Flexible connection hoses, length 600 mm



### Engineering data

#### 9252 00

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Shower hose: integrated, retractable, length 1800 mm
- Flow rate comfort jet: 12,6 l/Min
- Flexible connection hoses, length 600 mm



# COMO SKY / COMO SKY SHOWER

## Como Sky



Ref.	Description	€ excl. VAT
9278 00 LC	Stainless steel	443,-
9278 00 LE	Stainless steel polished	443,-

## Como Sky Shower




Ref.	Description	€ excl. VAT
9279 00 LC	Stainless steel	547,-
9279 00 LE	Stainless steel polished	547,-

### Engineering data

#### 9278 00


- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 120°
- Opening angle of lever: 25°
- Flow rate comfort jet: 9,4 l/Min
- Flexible connection hoses, length 600 mm
- Adjustable aerator



### Engineering data

#### 9279 00

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 120°
- Opening angle of lever: 25°
- Shower hose: integrated, retractable, length 1800 mm
- Flow rate comfort jet: 7,8 l/Min
- Flexible connection hoses, length 600 mm
- Adjustable aerator





# COMO X

## Como X




Ref.	Description	€ excl. VAT
9275 00 LC	Stainless steel	448,-

### Engineering data

#### 9275 00

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Flow rate comfort jet: 12,1 l/Min
- Flexible connection hoses, length 800 mm
- Kitchen tap equipped with an integrated pop-up turn knob
- Opening / closing the pop-up waste with the ring on the tap
- No tap hole on the sink required for the pop-up turn knob
- Please order a sink with a pop-up waste system
- Allow sufficient space between kitchen sink and connection box for pop-up waste



# FINERA / FINERA SQUARE

## Finera



Ref.	Description	£ excl. VAT
9270 00 LC	Stainless steel	477,-
9270 00 03	Gold	567,-
9270 00 04	Bronze	567,-
9270 00 05	Anthracite	567,-

## Finera Square




Ref.	Description	£ excl. VAT
9271 00 LC	Stainless steel	477,-

Soap dispensers in matching colours are available for these taps on pages 93, cap valve covers are to be found on page 95, cover caps for the overflow on page 96 and cover caps for turn knobs on page 97.

### Engineering data

#### 9270 00


- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow rate comfort jet: 10,5 l/Min
- Flexible connection hoses, length 600 mm
- Adjustable aerator



### Engineering data

#### 9271 00

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow rate comfort jet: 10,5 l/Min
- Flexible connection hoses, length 600 mm
- Adjustable aerator



# FINERA SLOPE / FINERA SLOPE SQUARE

## Finera Slope



Ref.	Description	€ excl. VAT
9276 00 LC	Stainless steel	477,-

## Finera Slope Square




Ref.	Description	€ excl. VAT
9277 00 LC	Stainless steel	477,-

### Engineering data

#### 9276 00


- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow rate comfort jet: 10,5 l/Min
- Flexible connection hoses, length 600 mm
- Adjustable aerator



### Engineering data

#### 9277 00

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow rate comfort jet: 10,5 l/Min
- Flexible connection hoses, length 600 mm
- Adjustable aerator



TAPS

# JUNIS SHOWER / JUNIS SKY SHOWER

## Junis Shower



- Available from August 2021
- Pull-out, hand-held spray with variable spray modes: laminar jet and spray jet
- Laminar jet: A clear and gentle jet of water virtually eliminates splashing



Ref.	Description	£ excl. VAT
9281 00 LC	Stainless steel	499,-

## Junis Sky Shower



- Available from August 2021
- Pull-out, hand-held spray with variable spray modes: laminar jet and spray jet
- Laminar jet: A clear and gentle jet of water virtually eliminates splashing
- "Comfort Plus" height allows for easy cleaning of baking trays or other large articles




Ref.	Description	£ excl. VAT
9282 00 LC	Stainless steel	559,-

### Engineering data

#### 9281 00


- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Flow volume laminar jet: 7,9 l/Min
- Flow volume spray jet: 6,6 l/Min
- Flexible connection hoses, length 600 mm
- Hand-held spray hose with flexible joint
- Pull-out, hand-held spray



### Engineering data

#### 9282 00

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Flow volume laminar jet: 7,9 l/Min
- Flow volume spray jet: 6,6 l/Min
- Flexible connection hoses, length 600 mm
- Hand-held spray hose with flexible joint
- Pull-out, hand-held spray



# MODERN STEEL

## Modern Steel




Ref.	Description	€ excl. VAT
9668 01 LC	Stainless steel	554,-
9668 01 LE	Stainless steel polished	554,-
9668 01 05	Anthracite	641,-

Soap dispensers in matching colours are available for these taps on pages 93, cap valve covers are to be found on page 95, cover caps for the overflow on page 96 and cover caps for turn knobs on page 97.

### Engineering data

#### 9668 01

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Taps can be installed directly in front of a wall as the water temperature is regulated within a 90° range towards the sink
- Flow rate comfort jet: 11,5 l/Min
- Flexible connection hoses, length 600 mm



# SORANO / SORANO SHOWER

## Sorano



Ref.	Description	€ excl. VAT
9266 00 LC	Stainless steel	345,-

## Sorano Shower




Ref.	Description	€ excl. VAT
9268 00 LC	Stainless steel	455,-

### Engineering data

#### 9266 00


- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow rate comfort jet: 13,3 l/Min
- Flexible connection hoses, length 600 mm
- Adjustable aerator



### Engineering data

#### 9268 00

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow rate comfort jet: 13,3 l/Min
- Shower hose: integrated, retractable, length 1800 mm
- Flexible connection hoses, length 600 mm
- Adjustable aerator



# SORANO SKY / SORANO SKY SHOWER

## Sorano Sky



Ref.	Description	€ excl. VAT
9267 00 LC	Stainless steel	438,-

## Sorano Sky Shower




Ref.	Description	€ excl. VAT
9269 00 LC	Stainless steel	539,-

### Engineering data

#### 9267 00


- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow rate comfort jet: 13,3 l/Min
- Flexible connection hoses, length 600 mm
- Adjustable aerator



### Engineering data

#### 9269 00

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 120°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Shower hose: integrated, retractable, length 1800 mm
- Flow rate comfort jet: 13,3 l/Min
- Flexible connection hoses, length 600 mm
- Adjustable aerator



# STEEL EXPERT 2.0 / STEEL EXPERT COMPACT

NEW



- New features:**
- **Laminar jet:** A clear and gentle jet of water virtually eliminates splashing
  - **Magnetic holder:** Simple means of fixing the hand shower in place
  - **Memory feature:** The most recently selected spray mode is maintained until it is changed by hand



Art. Nr.	Beschreibung Steel Expert 2.0	€ excl. VAT
9280 00 LC	Edelstahl massiv	659,-
9280 00 05	Anthracite	849,-

## Steel Expert Compact



- New features:**
- **Laminar jet:** A clear and gentle jet of water virtually eliminates splashing
  - **Magnetic holder:** Simple means of fixing the hand shower in place
  - **Memory feature:** The most recently selected spray mode is maintained until it is changed by hand




Ref.	Description	€ excl. VAT
9273 00 LC	Stainless steel	627,-
9273 00 05	Anthracite	814,-

Soap dispensers in matching colours are available for these taps on pages 93, cap valve covers are to be found on page 95, cover caps for the overflow on page 96 and cover caps for turn knobs on page 97.

### Engineering data


#### 9280 00

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Flow rate laminar jet: 5,4 l/Min
- Flow rate spray jet: 4,8 l/Min
- Flexible connection hoses, length 600 mm
- Flexible hand shower



#### 9273 00

- Material: stainless steel
- Cartridge material: plastic, ceramic gasket
- Swivel range: 360°
- Opening angle of lever: 25°
- Please note: tap must not be installed directly in front of a wall as the water temperature is regulated 45° to the rear and 45° towards the front of the sink
- Hand shower with two spray functions
- Flow rate laminar jet: 5,4 l/Min
- Flow rate spray jet: 4,8 l/Min
- Flexible connection hoses, length 600 mm
- Flexible hand shower







# SOAP DISPENSER

## Soap dispenser



Ref.	Description	€ excl. VAT
9236 10 LC	Stainless steel	145,-
9236 10 LE	Stainless steel polished	145,-

## Soap dispenser



Ref.	Description	€ excl. VAT
9236 20 LC	Stainless steel	166,-
9236 20 03	Gold	194,-
9236 20 04	Bronze	194,-
9236 20 05	Anthracite	194,-

## Soap dispenser




Ref.	Description	€ excl. VAT
9236 30 LC	Stainless steel	178,-

## Engineering data

### 9236 10


- Material: stainless steel (head and holder)
- Filling quantity: 250 ml



## Engineering data

### 9236 20


- Material: stainless steel (head), plastic (holder)
- Filling quantity: 250 ml
- Container, soap dispenser: diameter 55 mm



## Engineering data

### 9236 30

- Material: stainless steel (head), plastic (holder)
- Filling quantity: 250 ml
- Container, soap dispenser: diameter 55 mm



# HIGH QUALITY ACCESSORIES FROM VILLEROY & BOCH

In hardly any other room of the house are materials subjected to the stresses found in the kitchen. That's why Villeroy & Boch has extremely strict standards for the quality of the materials it uses. Work's more fun with the right equipment: So customise your sink to suit your requirements by adding accessories such as wire baskets or strainers, hanging bowls or chopping boards. This makes it possible to better coordinate each step of the process.



Stainless steel **hanging bowl** and walnut (real-wood veneer with compact core) **cutting board** complement each other to perfection for even greater comfort when preparing food.



**Roll-up rack** made of stainless steel – convenient for draining dishes.



**Cap waste cover** made of stainless steel  
Attractive cap waste cover, can be used in any Villeroy & Boch sink, dishwasher-safe.



**Inset strainer** made of stainless steel  
Practical when preparing and cooking food.



**Wire basket** made of stainless steel  
Practical protection when doing the dishes.



**Universal cutting board**  
Stays in place for comfortable working at the sink, draining board or worktop.



**Variety of pop-up wastes** suitable for your taps  
Available in a matt or high-gloss finish as well as in the new metallic colours.



**Selection of stainless steel soap dispensers**  
Elegant solution for soap or washing-up liquid.

# ACCESSORIES

## Cap waste cover

	Reference	€ excl. VAT		
Stainless steel, universally applicable	<b>9624 15 LC</b>	37,-		
Gold, universally applicable	<b>9624 15 03</b>	48,-		
Bronze, universally applicable	<b>9624 15 04</b>	48,-		
Anthracite, universally applicable	<b>9624 15 05</b>	48,-		

## Rolling mat, stainless steel

universally applicable	<b>9K08 00 K1</b>	118,-	
------------------------	-------------------	-------	---

## Universal cutting board made of beech

For sinks : 3304, 3305, 3307, 3309, 3312, 3313, 3315, 3345, 3346, 3340, 3350, 3360, 3361, 3362, 3365, 6712, 6714, 6718, 6719, 6726, 6732, 6745, 6759, 6770, 6772, 6778, 6780, 6781, 6790	<b>8K00 10 00</b>	125,-	
--	-------------------	-------	---

## Universal cutting board walnut

For sinks: 3304, 3305, 3307, 3309, 3312, 3313, 3315, 3340, 3345, 3346, 3350, 3351, 3352, 3360, 3361, 3362, 3365, 6712, 6714, 6718, 6719, 6726, 6732, 6745, 6759, 6770, 6772, 6778, 6780, 6781, 6790, 3336, 3335, 3334, 3380, 3337	<b>8K36 10 00</b>	178,-	
---	-------------------	-------	---

## Cutting board walnut

For the Subway sinks: 3309, 3312, 3313, 3315, 6712, 6714, 6718, 6770, 6772, 6780, 6781	<b>8K33 10 00</b>	154,-	
--	-------------------	-------	---

## Steamer container 1/3, stainless steel

For sinks: 3336, 3335, 3334, 3351, 3352, 3365, 3337	<b>8299 06 K1</b>	49,-	
---	-------------------	------	---

## Steamer container 2/3, stainless steel

For sinks: 3336, 6758	<b>8299 05 K1</b>	68,-	
-----------------------	-------------------	------	---

# ACCESSORIES

	Reference	€ excl. VAT	
--	-----------	-------------	--

## Strainer bowl, stainless steel

For sinks: 3309, 3312, 3313, 3315, 6712, 6714, 6718, 6719, 6770, 6772, 6780, 6781	<b>8K37 00 K1</b>	124,-
---	-------------------	-------




## Inset strainer, stainless steel

For sinks: 3309, 3312, 3313, 3315, 3345, 3346, 6712, 6714, 6718, 6719, 6770, 6772, 6780, 6781	<b>9K04 00 K1</b>	66,-
---	-------------------	------



## Inset strainer, stainless steel

For sinks: 3340, 3345, 3350, 3360, 3365, 6726, 6732, 6745, 6759, 6792, 3380	<b>8345 47 K1</b>	130,-
---	-------------------	-------



## Strainer bowl, stainless steel

For sinks: 3305	<b>8K24 00 K1</b>	101,-
-----------------	-------------------	-------




## Strainer bowl, stainless steel

For sinks: 3304	<b>8K23 00 K1</b>	124,-
-----------------	-------------------	-------



## Cover cap for overflow

Gold	<b>8299 10 03</b>	19,-
Bronze	<b>8299 10 04</b>	19,-
Anthracite	<b>8299 10 05</b>	19,-



## Folding draining rack

Solid stainless steel	<b>9K13 00 LC</b>	132,-
Anthracite	<b>9K13 00 05</b>	132,-



# ACCESSORIES

	Reference	€ excl. VAT
--	-----------	-------------

## Cover cap for turn lever, round

Matt	9405 26 L7	40,-
Chrome	9405 26 61	40,-
Gold	9405 26 03	112,-
Bronze	9405 26 04	112,-
Anthracite	9405 26 05	112,-



## Cover cap for double turn lever, round

Matt	9405 25 L7	40,-
Chrome	9405 25 61	40,-
Gold	9405 25 03	112,-
Bronze	9405 25 04	112,-
Anthracite	9405 25 05	112,-



## Cover cap for turn lever, angular

Matt	9405 36 L7	40,-
Chrome	9405 36 61	40,-



## Cover cap for double turn lever, angular

Matt	9405 35 L7	40,-
Chrome	9405 35 61	40,-



## Salad basket, stainless steel

for Arena Corner 6729	8349 00 K1	145,-
for Cisterna 60C 6706, Subway 60 SU 3310	8397 00 K1	145,-
for Cisterna 60B 6702, Siluet 50 S flat 3345, Subway 50 S 3315, Subway 50 S flat 3315, Subway 60 XU 6758, Architectura 50 3350	9841 00 K1	145,-
for Cisterna 50 6703, Subway 50 SU 3325	9849 00 K1	145,-
for Cisterna 45 6704, Condor 50 6732, Subway 45 SU 3324	9850 00 K1	145,-
for Architectura 60XR 3365 and Condor 45 6745	8331 00 K1	145,-
for Condor 60 6759	8395 00 K1	145,-
for Solo Eck 6708	8K09 00 K1	145,-
for Subway 80 6726	8K07 00 K1	145,-
for Subway 60 6712/6772, Subway 60 flat 6712/6772, Subway 60 XM 6780, Subway 60 XM flat 6780	8K04 00 K1	145,-
for Siluet 60 S flat 3346, Subway 60 XL 6719/6718, Subway 60 XL flat 6719/6718, Subway 60 S 3309, Subway 60 S flat 3309	8K31 00 K1	145,-
for Subway 45 6714/6772, Subway 45 flat 6714/6772, Subway 45 XS 6781, Subway 45 XS flat 6781, Subway 45 Compact 3313/3312	8K06 00 K1	145,-
for double-bowl sink 6323	8341 00 K1	145,-
for Timeline 60 6790, Timeline 60 flat, Architectura 60 3360	8K12 00 K1	145,-
for Timeline 50 3307, Timeline 50 flat 3307	9K09 00 K1	145,-
for Siluet 60 3336, Siluet 60 flat 3336	9K10 00 K1	221,-
for Siluet 50 3335, Siluet 50 flat 3335, Siluet 60 3337, Siluet 60 R flat 3337	9K11 00 K1	210,-
for Siluet 45 3334, Siluet 45 flat 3334	9K12 00 K1	198,-

**NOTE: For ranges that have already been discontinued, please contact Customer Service.**

## Installation kit


for single-bowl sink without draining board	9220 58 00	21,-
---	------------	------

## SPARE PARTS FOR KITCHEN TAPS

	Reference	€ excl. VAT
<b>Tap handle for Avia 2.0</b>		
Stainless steel	9240 80 LC	81,-
Gold	9240 80 03	81,-
Bronze	9240 80 04	81,-
Anthracite	9240 80 05	81,-

### Tap handle for Como / Como Shower / Como Window / Como Shower Window / Como Switch / Como X

Stainless steel	9251 80 LC	81,-
Stainless steel polishedshed	9251 80 LE	81,-



### Tap handle for Como Sky / Como Sky Shower

Stainless steel	9278 80 LC	81,-
Stainless steel polished	9278 80 LE	81,-

### Tap handle for Finera / Finera Slope

Stainless steel	9270 80 LC	78,-
Gold	9270 80 03	81,-
Bronze	9270 80 04	81,-
Anthracite	9270 80 05	81,-

### Tap handle for Finera Square / Finera Slope Square

Stainless steel	9271 80 LC	78,-
-----------------	------------	------

### Tap handle for Junis Shower / Junis Sky Shower

Stainless steel	 9281 80 LC	85,-
-----------------	--	------

### Tap handle for Sorano / Sorano Shower / Sorano Sky / Sorano Sky Shower

Stainless steel	9266 80 LC	79,-
-----------------	------------	------

### Tap handle for Steel Expert Compact


Stainless steel	9273 80 LC	81,-
Anthracite	9273 80 05	81,-

### Tap handle for Steel Expert 2.0

Stainless steel	 9280 80 LC	94,-
Anthracite	9280 80 05	94,-

### Tap handle for Steel Shower / Modern Steel



Stainless steel	9668 80 LC	78,-
Stainless steel polished	9668 80 LE	78,-
Anthracite	9668 80 05	81,-



### Tap handle for Umbrella / Umbrella Flex

Stainless steel	9253 80 LC	78,-
Stainless steel polishedshed	9253 80 LE	78,-
Gold	9253 80 03	81,-
Bronze	9253 80 04	81,-
Anthracite	9253 80 05	81,-

## SPARE PARTS FOR KITCHEN TAPS

	Reference	€ excl. VAT	
<b>Spray for Como Shower / Como Shower Window</b>			
Stainless steel	9252 05 LC	106,-	
Stainless steel polished	9252 05 LE	106,-	
<b>Spray for Como Sky Shower</b>			
Stainless steel	9279 05 LC	106,-	
Stainless steel polished	9279 05 LE	106,-	
<b>Spray for Sorano Shower / Sorano Sky Shower</b>			
Stainless steel	9268 05 LC	106,-	
<b>Spray for Steel Shower</b>			
Stainless steel	9697 05 LC	94,-	
Anthracite	9697 05 05	106,-	
<b>Spray for Umbrella Flex</b>			
Stainless steel	9253 05 LC	78,-	
Stainless steel polished	9253 05 LE	78,-	
Gold	9253 05 03	106,-	
Bronze	9253 05 04	106,-	
Anthracite	9253 05 05	106,-	
<b>Spray for Junis Shower / Junis Sky Shower</b>			
Edelstahl massiv	 9281 05 LC	134,-	
<b>Spray for Como Switch</b>			
Stainless steel	9272 05 LC	134,-	
Stainless steel polished	9272 05 LE	134,-	
<b>Spray for Steel Expert 2.0</b>			
Stainless steel	 9280 05 LC	106,-	
Anthracite	9280 05 05	106,-	
<b>Spray for Steel Expert Compact</b>			
Stainless steel	9273 05 LC	106,-	
Anthracite	9273 05 05	106,-	
<b>Control Box for Como X</b>			
	8299 03 00	46,-	
<b>Container for soap dispenser 9236 20 and 9236 30</b>			
	9236 25 00	52,-	

# CARE INSTRUCTIONS

## Care instructions

Easy-care beyond compare



You have chosen a quality product from Villeroy & Boch – the perfect solution for kitchens with character. Ceramic is a natural material that harmonises with all materials in the kitchen. The numerous advantages of ceramics that arise from the interplay between carefully selected raw materials and state-of-the-art production technology will already be familiar to you from other areas, such as tableware, tiles and bathroom ceramics. Villeroy & Boch has managed to further improve the outstanding properties of this material: CeramicPlus, the ceramic material with the unique easy-care surface that simply stays cleaner. It is so smooth that there are hardly any places where water and dirt can cling, so they drain away immediately. Even most stubborn stains, such as from tea, beetroot or red wine, and lime scale can be easily removed. It's a real help in the kitchen, because it means less work and less cleaning agents are required. And it's not a miracle but the result of our 270 years of experience with ceramics. Various tests simulating long-term use have demonstrated CeramicPlus's lasting resistance to soiling (when the care instructions are duly observed). The high quality and outstanding properties of CeramicPlus have also been confirmed in tests carried out by the independent IST Fraunhofer Institut in Braunschweig. In addition, the material properties are also systematically tested and monitored in the Villeroy & Boch laboratory. With the purchase of this product made from CeramicPlus – as with all products from Villeroy & Boch – you are getting an item of impeccable quality.

**We hope that your easy-care ceramics will give you a lot of pleasure.**

## Cleaning and care of your kitchen ceramics

With its innovative new surface, CeramicPlus sets new standards in hygiene and ease of care. Now, scrubbing, scouring and scratching are a thing of the past. All it takes is a regular wipe with a soft, damp cloth and a mild cleaning agent. To ensure that the easy-care properties of your kitchen ceramics last as long as possible while allowing you to fully benefit from the many advantages offered by CeramicPlus, please observe the following care instructions.

## Regular care of your kitchen ceramics

For regular care of your kitchen ceramics, we recommend always using a soft, non-abrasive sponge or cloth. It is best – particularly where limescale is an issue – to use a standard washing-up liquid or a vinegar-based cleaning agent (e.g. Frosch Vinegar cleaner from Erdal Rex).

## Dealing with heavier soiling

Below you will find a few examples of cleaning agents that, when used in accordance with the manufacturers' recommendations, will help preserve the quality of your kitchen ceramics over the long term. Because kitchen ceramics are harder than metal, metallic items can occasionally leave marks on ceramic surfaces. Marks of this kind should only be removed using one of the mild cleaning agents listed in the table.

Applications (according to manufacturer's recommendations)	Examples
Regular cleaning and care	All-purpose cleaners, e.g.: Viss kitchen cleaner (Lever), Der General Professional (Henkel) Vinegar-based cleaners, e.g.: Frosch Vinegar cleaner (Erdal Rex), all commercial washing-up liquids
Anorganic dirt (e.g. limescale)	Lime solvers, e.g.: Sidol anti-limescale (Henkel), Viakal (Procter & Gamble) Vinegar-based cleaners, e.g.: Frosch Vinegar cleaner (Erdal Rex)
Grease	Grease remover, e.g.: Sidol kitchen cleaner (Henkel) Vinegar-based cleaners, e.g.: Frosch Vinegar cleaner (Erdal Rex)

Your attention is particularly drawn to the fact that aggressive cleaning agents (see below) can scratch ceramic surfaces and can harm or (if used regularly) even destroy the special properties of CeramicPlus.

- Scouring creams or powders
- Concentrated drain cleaners
- Tap and steel cleaners

For this reason we recommend avoiding the use of these cleaning agents completely. If on occasion it should be necessary to use drain cleaning chemicals or metal cleansers, direct contact with the kitchen ceramics should be avoided.

**Thanks to the exceptional easy-care properties of CeramicPlus, you will achieve fresh cleanliness and optimum hygiene without the need for aggressive cleaning agents.**

\* The care instructions can also be ordered for customers under article number 9211 J6 A1.

# INSTRUCTIONS FOR SURFACE-MOUNTED INSTALLATION

Sinks	Ref.	Countertop cutout
ARCHITECTURA 80	3380	113,0 x 48,0 cm
ARCHITECTURA 60	3360	97,0 x 48,0 cm
ARCHITECTURA 60 XR	3365	97,0 x 48,0 cm
ARCHITECTURA 50	3350	83,0 x 48,0 cm
ARCHITECTURA 45	3340	77,0 x 48,0 cm
ARENA Eck	6729	see attached template (Ref. 9307 22 A0)
CONDOR 60	6759	97,0 x 47,0 cm
CONDOR 50	6732	82,5 x 47,0 cm
CONDOR 45	6745	76,0 x 47,0 cm
FLAVIA 60	3304	98,0 x 48,0 cm
FLAVIA 50	3305	87,0 x 48,0 cm
SILUET 60	3336	97,0 x 48,0 cm
SILUET 60 R	3337	97,0 x 48,0 cm
SILUET 60 S	3346	57,0 x 48,0 cm
SILUET 50	3335	87,0 x 48,0 cm
SILUET 50 S	3345	48,0 x 48,0 cm
SILUET 45	3334	77,0 x 48,0 cm
SOLO Eck	6708	see attached template (Ref. 9307 B3 A5)
SUBWAY 80	6726	113,0 x 48,0 cm
SUBWAY 60	6712/6770	97,0 x 48,0 cm
SUBWAY 60 XL	6719/6718	97,0 x 48,0 cm
SUBWAY 60 XM	6780	59,0 x 48,0 cm
SUBWAY 60 S	3309	57,0 x 48,0 cm
SUBWAY STYLE 60	3361/3362	97,0 x 48,0 cm
SUBWAY 50 S	3315	49,5 x 48,0 cm
SUBWAY STYLE 50	3351/3352	87,0 x 48,0 cm
SUBWAY 45	6714/6772	74,0 x 48,0 cm
SUBWAY 45 Compact	3313/3312	62,0 x 48,0 cm
SUBWAY 45 XS	6781	44,5 x 48,0 cm
TIMELINE 60	6790	97,0 x 48,0 cm
TIMELINE 50	3307	87,0 x 48,0 cm

## Knocking out the tap holes

### PLEASE NOTE

Examine the sink for damage BEFORE INSTALLATION.

Only install a sink that is in perfect condition.

**IMPORTANT!** Always wear protective goggles and suitable protective clothing when knocking out the tap hole!


BEFORE INSTALLATION knock out the taps holes required as follows:

- Carefully transfer the centre of the tap hole required from the lower side of the sink onto the glazed upper side and mark.

Only ever knock a tap hole through from the GLAZED UPPER SIDE OF THE SINK, NEVER FROM THE LOWER SIDE!

- Use suitable tools (e.g. hammer and centre punch) to knock the pre-punched tap hole out from above.


Position the punch initially in the centre of the tap hole. Then widen to the diameter required. Please be very careful not to damage the glaze around the tap hole.




# INSTRUCTIONS FOR SURFACE-MOUNTED INSTALLATION

## Installation of surface-mounted sinks with the option of dismantling without causing any damage

**A** Carefully pierce the required tap holes from the glazed side (!) using a hammer and, if necessary, a punch.




**B** Cut hole in worktop as required or using the template supplied. Clean the cut-out edge and remove any shavings.




**C** Insert and align sink.

Draw around the outer contour of the sink on the worktop.




**D** Remove sink.

Fix EPDM foam tape all around the outer contour of the sink, 5 mm from the cutting edge. Only fix the foam tape to the work surface, not to the sanded rim of the sink!!




**E** Remove the outline of the sink drawn onto the worktop, clean the edge of the sink.




**F** Seal cleaned cut-out edge with silicon, fill

Apply a layer of silicon (approx. 10 mm thick) to the worktop area that is to support the sink and (!) to the EPDM foam tape\*

\*Please note the product information and the instructions for use on the packaging.




**G** Insert and align sink.



**H** Remove any excess silicon.

Connect supply and drain lines.



12


In order for Villeroy & Boch to be liable, the product must be installed in accordance with the installation instructions for allowing the option of dismantling without causing any damage (assembly set 9218 02 00).

# INSTALLATION INSTRUCTIONS

---

## Installation Instructions

Monumentum 3303



---

## Installation Instructions

Ceramic Sinks 6320 / 6323

### Please note:

In order to ensure that any concealed damage caused in transit is identified in good time, the ceramic elements should be examined prior to installation.

When installing ON METAL CONSOLES, the contact surface on the wall must be level and able to withstand pressure. The load-bearing capacity of the bathroom fitting is dependent on the stability of the wall to which it is attached. Plasterboard and similar boarding are thus only permissible when used in conjunction with suitable bearing elements.

When installing ON A CABINET, a suitable cabinet construction is required.

The installation instructions have been carefully drawn up in accordance with the latest knowledge available.

Please read them carefully prior to commencing installation work. Misunderstandings or errors resulting from changes to models of which the installer may not be aware may lead to incorrect installation.

Particularly when larger building projects or series installation work are involved, we therefore recommend you obtain confirmation from our company that the stated installation dimensions are still valid, or carry out a comparison with an article from our current production output.





The advice on installation provided in our literature, written instructions for installation and verbal advice provided by our staff do not establish a legal relationship.

**We reserve the right to carry out modifications to products in the interests of technical improvement.**

# INSTALLATION INSTRUCTIONS SINGLE-BOWL SINK





## Installation Instructions Butler and Farmhouse sinks

Ceramic sink 6320  
(installing on metal consoles)



## Installation Instructions Butler and Farmhouse sinks





Ceramic sink 6320  
(installing on a cabinet)



# INSTALLATION INSTRUCTIONS DOUBLE-BOWL-SINK





## Installation Instructions Butler and Farmhouse sinks

Ceramic sink 6323  
(installing on metal consoles)



## Installation Instructions Butler and Farmhouse sinks

Ceramic sink 6323  
(installing on a cabinet)



# INSTALLATION INSTRUCTIONS CISTERNA & SUBWAY



## Cisterna and Subway Undercounter sinks (6702, 6703, 6704, 6706, 6758, 3310, 3324, 3325)

### Instructions for installation in natural stone slabs (e.g. granite) with a minimum thickness of 25 mm.

**We recommend the use of cementing materials specifically intended for natural stone. Please follow the manufacturer's instructions.**

Installation accessories applied: 6 fastening brackets, 6 M5 x 35 screws, 6 M5 x 30 screws, 6 MS dowels

1. Determine where the sink is to be positioned on the slab and cut out the hole according to the original sink. Lay the slab face down on an absolutely plane and true, stable surface. Make sure that all surfaces top be cemented are free of grease and otherwise clean and dry. Apply silicone rubber to the ground rim of the sink. Lay the sink over the hole in the slab and align. Remove any excess sealant.
2. Mark drilling holes on the slab at approx. 10 mm from the outer edge of the sink. Ensure that the sink and brackets fit into the cabinet used. Using a 6 mm carbide drill, drill the holes (without using the percussion feature). Using a 6 mm carbide drill, drill the holes (without using the percussion feature) to 18 mm, not counting the tip, preferably using a depth gauge attachment).
3. Insert the MS special dowels enclosed flush into the holes. Attach the fastening brackets with the screws supplied to the sink and slab. Tighten the screws by hand with a screwdriver. (Do not use a torque lever).



For a precise fit, the cut-out must be produced in the worktop by reference to the original sink. The supplied installation templates provide guidance here.

The cut-out dimensions specified on the templates take due account of the ceramic tolerances and a safety clearance. In some cases, the countertop may consequently protrude by up to 11 mm beyond the rim of the sink. This dimension can be minimised by producing the cut-out according to the given sink contour. A minimum overhang of 2 mm is necessary, however, duly taking the ceramic tolerances into consideration.

When producing the cut-out by means of the template: Recommended distance between edge of cut-out and centre of tap hole: approx. 75 mm

We reserve the right to make technical alterations.






# INSTALLATION INSTRUCTIONS FARMHOUSE SINKS

## Installation Instructions

### Farmhouse sinks

Ceramic sink 6360, 6380 and 6390


(installing on a cabinet)





# INSTALLATION INSTRUCTIONS FOR FLUSH-FIT SINKS

## Recommendations for installation

of flush-fit sinks in natural stone worktops, minimum thickness 4 cm. The installation kit can also be ordered for customers under article number 9220 58 00.



1	Natural stone worktop
2	Sink
3	Natural stone-silicone jointing compound (Note recommendations by supplier/manufacturer of natural stone)
4	Levelling compound (enclosed)
5	Use enclosed wood spacers and/or levelling compound under sink for levelling purposes



## Coutout dimension:

Sinks	Ref.				a (mm)	b (mm)	a1 (mm)	b1 (mm)	C (mm)
Siluet 60 Flat	3336 OF		reversible		496	986	470	960	30
Siluet 60 R Flat	3337 OF		reversible		496	986	470	960	30
Siluet 60 S Flat	3346 OF			X	496	586	470	560	30
Siluet 50 Flat	3335 OF		reversible		496	886	470	860	30
Siluet 50 S Flat	3345 OF			X	496	496	470	470	30
Siluet 45 Flat	3334 OF		reversible		496	786	470	760	30
Subway 60 Flat	6712 OF	X			481	971	455	945	40
Subway 60 Flat	6770 OF		X		481	971	455	945	40
Subway 60 XL Flat	6719 OF	X			481	971	455	945	40
Subway 60 XL Flat	6718 OF		X		481	971	455	945	40
Subway 45 Flat	6714 OF	X			481	751	455	725	40
Subway 45 Flat	6772 OF		X		481	751	455	725	40
Subway 60 S Flat	3309 OF			X	481	571	455	545	30
Subway Style 60 Flat	3361 OF	X			496	986	470	960	30
Subway Style 60 Flat	3362 OF		X		496	986	470	960	30
Subway 60 XM Flat	6780 OF			X	481	591	455	565	30
Subway 45 XS Flat	6781 OF			X	481	446	455	420	30
Subway 50 S Flat	3315 OF			X	481	496	455	470	30
Subway Style 50 Flat	3351 OF	X			496	886	470	860	30
Subway Style 50 Flat	3352 OF		X		496	886	470	860	30
Timeline 60 Flat	6790 OF		reversible		481	971	455	945	40
Timeline 50 Flat	3307 OF		reversible		481	871	455	845	40

# INSTALLATION MEASUREMENTS

## WITH THE OPTION OF DISMANTLING WITHOUT CAUSING ANY DAMAGE

Küchenspülen	Art.Nr.	A	B	C	D	E	F	G	H	I	J
ARCHITECTURA 80	3380	50	50	400-460	600	460	370	--	--	80	80
ARCHITECTURA 60	3360	50	50	400-460	600	460	380	--	--	80	80
ARCHITECTURA 60 XR	3365*4	0	100	400-460	600	460	380	--	--	80	80
ARCHITECTURA 60 XR	3365*5	100	0	400-460	600	460	380	--	--	80	80
ARCHITECTURA 50	3350	50	50	400-460	600	460	380	--	--	80	80
ARCHITECTURA 45	3340	50	50	400-460	600	460	380	--	--	80	80
ARENA ECK	6729	ONLY INSTALLATION IN CORNER POSSIBLE						900	900	80	80
CISTERNA 60C	6706	*6	*6	390-420	600	460	330	--	--	80	80
CISTERNA 60B mit Restebecken	6702	*6	*6	390-420	600	460	330	--	--	80	80
CISTERNA 50	6703	*6	*6	390-420	600	460	30	--	--	80	80
CISTERNA 45	6704	*6	*6	390-420	600	460	330	--	--	80	80
CONDOR 60	6759	50	50	400-480	600	460	380	--	--	80	80
CONDOR 50	6732*4	0	100	400-470	600	460	380	--	--	80	80
CONDOR 50	6732*5	100	0	400-470	600	460	380	--	--	80	80
CONDOR 45	6745*4	0	100	400-480	600	460	380	--	--	80	80
CONDOR 45	6745*5	100	0	400-480	600	460	380	--	--	80	80
FLAVIA 60	3304*4	0	100	400-460	60	460	380	--	--	80	80
FLAVIA 60	3304*5	100	0	400-460	60	460	380	--	--	80	80
FLAVIA 50	3305*4	0	100	400-460	60	460	380	--	--	80	80
FLAVIA 50	3305*5	100	0	400-460	60	460	380	--	--	80	80
SOLO ECK	6708	ONLY INSTALLATION IN CORNER POSSIBLE						900	900	80	80
SILUET 60	3336*4	0	100	400-460	600	460	380	--	--	80	80
SILUET 60	3336*5	100	0	400-460	600	460	380	--	--	80	80
SILUET 60 R	3337*4	0	100	400-460	600	460	360	--	--	80	80
SILUET 60 R	3337*5	100	0	400-460	600	460	360	--	--	80	80
SILUET 60 S	3346	0	100	400-600	600	460	370	--	--	80	--
SILUET 50	3335*4	0	100	400-460	600	460	380	--	--	80	80
SILUET 50	3335*5	100	0	400-460	600	460	380	--	--	80	80
SILUET 50 S	3345	0	100	400-600	600	460	370	--	--	80	--
SILUET 45	3334*4	0	100	400-460	600	460	380	--	--	80	80
SILUET 45	3334*5	100	0	400-460	600	460	380	--	--	80	80
SILUET 60 Flat	3336 0F*4	0	100	400-450	600	460	370	--	--	80	80
SILUET 60 Flat	3336 0F*5	100	0	400-450	600	460	370	--	--	80	80
SILUET 60 R Flat	3337 0F*4	0	100	400-450	600	460	370	--	--	80	80
SILUET 60 R Flat	3337 0F*5	100	0	400-450	600	460	370	--	--	80	80
SILUET 60 S Flat	3346 0F	0	100	400-600	600	460	370	--	--	80	--
SILUET 50 Flat	3335 0F*4	0	100	400-450	600	460	370	--	--	80	80
SILUET 50 Flat	3335 0F*5	100	0	400-450	600	460	370	--	--	80	80
SILUET 50 S Flat	3345 0F	0	100	400-600	600	460	370	--	--	80	--
SILUET 45 Flat	3334 0F*4	0	100	400-450	600	460	370	--	--	80	80
SILUET 45 Flat	3334 0F*5	100	0	400-450	600	460	370	--	--	80	80
SUBWAY 80	6726	50	50	400-460	600	460	370	--	--	--	80
SUBWAY 60	6712	50	50	400-460	600	460	370	--	--	--	80
SUBWAY 60	6770	50	50	400-460	600	460	370	--	--	80	--
SUBWAY 60 Flat	6712 0F	50	50	400-450	600	460	360	--	--	--	80
SUBWAY 60 Flat	6770 0F	50	50	400-450	600	460	360	--	--	80	--
SUBWAY 60 XL	6718	100	0	400-460	600	460	370	--	--	--	80
SUBWAY 60 XL	6719	0	100	400-460	600	460	370	--	--	80	--
SUBWAY 60 XL Flat	6718 0F	100	0	400-460	600	460	360	--	--	--	80
SUBWAY 60 XL Flat	6719 0F	0	100	400-460	600	460	360	--	--	80	--
SUBWAY 60 XM	6780*8	50	50	400-460	600	460	370	--	--	--	80

\*1) The installation measurements for installation of the fitting in the middle. \*2) The installation measurements for installation of the fitting in the hole near the basin.  
 \*3) The installation measurements for installation of the fitting left. \*4) The installation measurements for installation of the bowl right. \*5) The installation measurements for installation of the bowl left.  
 \*6) Dependent of the position of the taps. \*7) Measured from the middle of the 90mm waste outlet. \*8) When installing in the central tap hole.


# INSTALLATION MEASUREMENTS

## WITH THE OPTION OF DISMANTLING WITHOUT CAUSING ANY DAMAGE

Küchenspülen	Art.Nr.	A	B	C	D	E	F	G	H	I	J
SUBWAY 60 XM Flat	6780 0F*8	50	50	400-450	600	460	360	--	--	--	80
SUBWAY 60 S	3309	0	100	400-460	600	460	370	--	--	80	--
SUBWAY 60 S Flat	3309 0F	0	100	400-450	600	460	370	--	--	80	--
SUBWAY STYLE 60	3361	0	100	400-460	600	460	370	--	--	80	--
SUBWAY STYLE 60	3362	100	0	400-460	600	460	370	--	--	--	80
SUBWAY STYLE 60 Flat	3361 0F	0	100	400-460	600	460	360	--	--	80	--
SUBWAY STYLE 60 Flat	3362 0F	100	0	400-460	600	460	360	--	--	--	80
SUBWAY 60 SU	3310	*6	*6	390-420	600	460	330	--	--	80	80
SUBWAY 60 XU	6758	*6	*6	390-420	600	460	330	--	--	80	80
SUBWAY 50 S	3315	0	100	400-460	600	460	370	--	--	80	--
SUBWAY 50 S Flat	3315 0F	0	100	400-460	600	460	360	--	--	80	--
SUBWAY STYLE 50	3351	0	100	400-460	600	460	370	--	--	80	--
SUBWAY STYLE 50	3352	100	0	400-460	600	460	360	--	--	--	80
SUBWAY STYLE 50 Flat	3351 0F	0	100	400-460	600	460	360	--	--	80	--
SUBWAY STYLE 50 Flat	3352 0F	100	0	400-460	600	460	360	--	--	--	80
SUBWAY 50 SU	3325	*6	*6	400-460	600	460	330	--	--	80	80
SUBWAY 45	6714*2	50	50	400-460	600	460	370	--	--	--	80
SUBWAY 45	6772*2	50	50	400-460	600	460	370	--	--	80	--
SUBWAY 45 Flat	6714 0F*2	50	50	400-450	600	460	360	--	--	--	80
SUBWAY 45 Flat	6772 0F*2	50	50	400-450	600	460	360	--	--	80	--
SUBWAY 45 Compact	3313	100	0	400-460	600	460	370	--	--	--	80
SUBWAY 45 Compact	3312	100	0	400-460	600	460	370	--	--	80	--
SUBWAY 45 XS	6781*8	100	0	400-460	600	460	370	--	--	--	80
SUBWAY 45 XS Flat	6781 0F*8	100	0	400-450	600	460	360	--	--	--	80
SUBWAY 45 SU	3324	*6	*6	400-460	600	460	330	--	--	80	80
TIMELINE 60	6790*4	100	0	400-460	600	460	370	--	--	80	80
TIMELINE 60 Flat	6790 0F*4	100	0	400-450	600	460	360	--	--	80	80
TIMELINE 50	3307*4	100	0	400-460	600	460	370	--	--	--	80
TIMELINE 50 Flat	3307 0F*4	100	0	400-460	600	460	360	--	--	--	80

# INSTALLATION MEASUREMENTS

## Surface-mounted installation




# POSSIBLE COMBINATIONS

---

## Undercounter (range with the cut-out dimensions\*)


**120 CM**  
Width of  
undersink cabinet




CISTERNA 50 + CISTERNA 60C'  
6703 + 6706

---

**100 CM**  
Width of  
undersink cabinet




CISTERNA 50 + CISTERNA 50'  
6703 + 6703



CISTERNA 45 + CISTERNA 60C'  
6704 + 6706

---


**90 CM**  
Width of  
undersink cabinet



CISTERNA 45 + CISTERNA 50'  
6704 + 6703

---

**80 CM**  
Width of  
undersink cabinet




CISTERNA 45 + CISTERNA 45'  
6704 + 6704

---


# POSSIBLE COMBINATIONS

## Undercounter (range with the cut-out dimensions)

**120 CM**  
Width of  
undersink cabinet




SUBWAY 50 SU + SUBWAY 60 SU<sup>1</sup>  
3325 + 3310




SUBWAY 60 SU + SUBWAY 60 SU<sup>1</sup>  
3310 + 3310

**100 CM**  
Width of  
undersink cabinet




SUBWAY 50 SU + SUBWAY 50 SU<sup>1</sup>  
3325 + 3325




SUBWAY 45 SU + SUBWAY 60 SU<sup>1</sup>  
3324 + 3310

**90 CM**  
Width of  
undersink cabinet



SUBWAY 45 SU + SUBWAY 45 SU<sup>1</sup>  
3324 + 3324



SUBWAY 45 SU + SUBWAY 50 SU<sup>1</sup>  
3324 + 3325

### Accessories (also required):

Drain connection for all shown Cisterna and Subway combinations.

### Ref.

8297 00 00

### PRICE

30,-

# GENERAL SALES CONDITIONS OF VILLEROY&BOCH AG

**Bath and Wellness Division**, Rev. August 2016

## I. GENERAL

1. These General Conditions of Sale (hereinafter referred to as "conditions of sale") shall apply to all – i. e. also to future – quotations, supply and other performance by Villeroy & Boch AG including all its branches and group companies (hereinafter referred to as "we", "us" or "ourselves"), to customers who are not consumers within the meaning of § 13 of the German Civil Code BGB (hereinafter referred to as "purchasers"); the purchaser and ourselves taken together also being referred to hereinafter as "the parties").

2. These conditions of sale shall, unless any other provision is expressly made, apply for the entire duration of the business relationship without its being necessary for us to make specific reference to the fact. Business conditions of the purchaser shall not apply unless expressly recognised by ourselves in writing. These conditions of sale shall also apply if we make deliveries to the purchaser unconditionally while aware of conditions of the purchaser which are contradictory to or deviate from our conditions of sale.

3. Any alterations (amendments/additions) to these conditions shall require to be made in writing.

4. Verbal collateral agreements or assurances shall be invalid unless confirmed by ourselves in writing.

## II. QUOTATIONS

1. Unless designated as binding in their text, our quotations shall be non binding and without obligation and shall not place us under any obligation to accept a given order.

2. If, after the conclusion of the contract, modifications are called for by our customers, or if the contract is cancelled wholly or in part, all the costs and expenses and other losses thus far incurred by ourselves or to be incurred in connection therewith (e. g. lost profit) shall be chargeable to the customer. Cancellation will only be possible with our approval. This shall not affect any rights the purchaser may have to rescind or avoid the contract.

## III. PRICES AND DELIVERIES

1. If the parties have not agreed any other price, the price shall be determined according to our price lists as valid at the time when the contract is concluded. Unless the parties have agreed anything different, the purchaser shall, in addition to all prices in accordance with the price lists,

2. The delivery dates or periods stated in the order confirmation shall be estimated dates or periods and shall therefore be non-binding. They shall only be binding if confirmed as such in the order confirmation.

3. Unless any other contractual agreement has been made, the delivery period shall begin on receipt of written confirmation of the order.

4. A delivery period or date shall be deemed to have been met if the goods leave our works or warehouse or, as the case may be – if they are to be collected by the purchaser – are ready for collection prior to expiry of said date or period.

5. If a non-binding delivery date or period (referred to here below in Section 6 as "non-binding delivery period") is not met, we shall be deemed to have defaulted thereon when a grace period has expired and a reminder been received from the purchaser, unless we can prove that we were not responsible for our failure to meet the non-binding delivery period or effect delivery during the grace period.

The length of the grace period shall be 1/5 of the nonbinding delivery period. The grace period shall begin on the first working day that follows the end of the delivery period. If the length of the grace period is not an exact number of full days, weeks or months, it shall be rounded off to the nearest full number of days (example: non-binding delivery period 27 days, 1/5 = 5.4 days, grace period = rounded off to 5 days). The non-binding delivery period shall be calculated in accordance with Section III. 3.

6. If a delivery period or date is not met for reasons for which we are not responsible, in particular in cases in which we ourselves have received a late or incorrect self-delivery or deliveries, the delivery period shall be extended by a reasonable period. If we are, furthermore, unable to render our performance within said reasonably extended delivery period for reasons for which we are not responsible, we shall inform the purchaser of the fact without delay. In such cases we shall have the right to rescind the contract within a period of two weeks beginning from the moment when we inform the purchaser. Having exercised said right of rescission we shall reimburse the purchaser without delay for any counter-performance that he may already have rendered. For the rest, the statutory rights and entitlements of the parties shall remain unaffected.

## IV. PACKAGING

1. Unless any special packaging has been agreed, the goods shall be packaged at our discretion in accordance with the standard commercial methods.

2. The costs of transport packaging (e. g. euro containers, cardboard boxes or crates) shall be invoiced to the purchaser. If goods are shipped in reusable containers a rental charge or circu-

lation fee will be invoiced. The reusable containers are to be returned immediately to the pool via the return shipment logistics system. Costs incurred by non-fulfilment of this obligation shall be invoiced to the customer. Packaging units will be taken back within the framework of and as governed by the respective statutory regulations.

3. Loading costs are to be borne by the purchaser as shipment costs. If goods are loaded on pooling pallets, we shall accompany the loading procedure at the roadside in direct pallet exchange with the haulage contractor. If haulage contractors or customer's vehicles are used, the purchaser must supply intact exchange pallets. Missing pallets will be invoiced to the purchaser.

## V. SHIPMENT

1. Goods will be shipped at the expense and risk of the purchaser.

2. The risk shall pass over to the purchaser when the articles to be delivered are handed over to the transport company or to the purchaser himself.

3. Insurance shall only be taken out at the wish and expense of the purchaser.

4. Transport damage is to be reported to the haulier for inspection without delay. The purchaser must ensure that the complaint is noted in the shipment record. The shipment record provided for such cases is to be sent to us without its being necessary for us to request that it be sent.

## VI. TERMS OF PAYMENT

1. Unless any other agreement has been made, our claims shall fall due for payment in full as soon as the invoice has been received. The definitive date in determining whether or not payment has been made in due time shall be the date on which payment is actually received.

2. If it becomes apparent to us after conclusion of the contract that there is a risk that the orderer may not be in a position to fulfil his performance obligations, we shall have the right to insist that outstanding deliveries be effected only against advance payment or the provision of securities. If said advance payments have not been made or securities not provided after the expiry of a reasonable period set by ourselves, we shall be entitled to rescind all or any of the contracts affected thereby or any part thereof. The period shall be regarded as reasonable if it is at least 10 calendar days, though the purchaser shall also have the option of showing that the period was not reasonable in a given individual case. We shall in particular be entitled as above if it comes to our knowledge that the purchaser has drawn cheques not covered by sufficient funds, if bills of exchange or cheques of the purchaser's are protested, if an application is made for the institution of insolvency proceedings or if insolvency proceedings are actually instituted: the above notwithstanding our entitlement to assert further rights.

3. Bills of exchange and cheques will only be accepted following special agreement and in all cases only as conditional payment. Discount charges, collection fees and all other costs shall be chargeable to the purchaser.

## VII. RETENTION OF TITLE

1. We shall reserve ownership of the delivered goods until such time as all payments arising from the existing business association with the purchaser have been received; said reservation refers to the acknowledged balance.

2. The purchaser shall have the right to resell goods subject to retention of title in the normal course of business, but only under retention of title. The purchaser may neither pledge the goods subject to retention of title nor transfer title of them as security. The purchaser hereby now assigns to us as collateral all claims which accrue to him from the resale in the amount of the final invoice of our claim (inclusive of turnover tax). We hereby accept the assignment. The claims thus assigned to us in advance by the purchaser also relate to the acknowledged balance and, in the case of insolvency of the purchaser, to the existing causal balance. The cover limit of the assigned claims shall be 110% of the realisable value of the goods subject to retention of title sold and delivered in each respective case. The purchaser shall be empowered to collect the claim. Said empowerment to collect and authorisation to resell may be revoked by us if the purchaser is in breach of any of his material contractual obligations (e. g. default in payment).

3. The purchaser shall inform us without delay of any attempts by third parties to take possession of the goods delivered under retention of title, doing so if possible at an early stage, when such attempts are still imminent. He shall inform third parties attempting (or intending to attempt) to take possession of the goods that the latter are our property. Any costs of interventions (e. g. § 771 of the German Code of Civil Procedure [ZPO]) shall be borne by the purchaser if the third party is not in a position to reimburse us for the judicial and extrajudicial costs.

4. If the purchaser is in breach of any of his material contractual obligations, in particular in cases of default in payment, we shall have the right to repossess the purchase object and to visit the premises of the purchaser for the purpose of so doing. Rescission of the contract is, furthermore, immanent in any such repossession of the purchase object by us. We shall, after repossession, be authorised to exploit the purchase object commercially, whereby the proceeds from such exploitation are to be offset against the liabilities of the purchaser (e. g.

# GENERAL SALES CONDITIONS OF VILLEROY & BOCH AG

## Bath and Wellness Division, Rev. August 2016

damages) – minus reasonable exploitation costs. If the purchaser was culpable in his breach of the obligation that led to the rescission, he shall remit to us lump sum compensation for the return transport of the purchase object in the amount of 5% of the purchase price. This sum may be set higher or lower if we can prove that the loss or damage was in fact greater, or if the purchaser can prove that it was in fact smaller.

5. We shall, for as long as a claim on our part is outstanding, have the right to request information from the purchaser at any time as to which goods delivered under retention of title are still in his possession, where they are, and to which customers the remaining goods supplied by us have been sold, said information relating to quantity, type and number. We shall also have the right to inspect the goods delivered under retention of title on any of the purchaser's premises, wherever the goods may be at any given time.

6. The purchaser shall be under obligation to treat the purchase object with due care and to carry out any necessary servicing and maintenance work at his own expense, to insure our goods against fire and theft at his own expense, and to furnish us on request with proof that said insurance has been taken out.

7a) Any processing or remodelling of the purchase object by the purchaser will always be carried out on our behalf. If the purchase object is processed with other objects of which we are not the owner, we shall acquire co-ownership of the new thing in proportion of the value of the purchase object (final invoice amount inclusive of turnover tax) to the other processed objects at the time of processing. For the rest, the provisions governing retention of title shall apply correspondingly to the thing created by the processing.

b) As security against our claims against him, the purchaser shall also assign to us the claims which accrue to him against a third party as a result of his combining the purchase object with a plot of land.

8. If the purchaser can prove that the realisable value of the securities exceeds that of the outstanding claims by more than 10%, we shall release the surplus amount if requested to do so by the purchaser.

## VIII. PRODUCT CHARACTERISTICS

1. We hereby draw attention to the following:

- On account of differing materials and manufacturing procedures, a series may feature variations in colour, often also depending on the lighting conditions.
- For typographic reasons there may be deviations in colour between the illustrations in a prospectus/catalogue and the actual product itself.
- Acidic and/or caustic cleansing agents may cause damage if improperly used.
- Goods labelled „seconds“ will be inferior in design and quality to goods labelled „1st choice“.

2. We reserve the right to produce goods with variations in finish, colour and shape such as are usual in the trade.

3. If the purchaser makes any subsequent changes to the goods supplied by us, in particular decorations or technical modifications, he shall not be permitted to resell them under our trademark unless we have issued our prior agreement to the changes in writing.

## IX. WARRANTY

1. Unless any other provision is made here below relating to the rights of the purchaser in cases of material and legal defects, the statutory regulations shall apply. In particular, moreover, the special statutory regulations covering final delivery of the goods to a consumer (recourse claims against suppliers in accordance with §§ 478, 479 of the German Civil Code BGB) shall remain unaffected.

2. § 377 of the German Commercial Code (HGB) shall apply in respect of the inspection of the goods and notification of defects, with the proviso that the period for giving notice of obvious defects shall be two weeks as from delivery, whilst the period for giving notice of defects that are not obviously discernible shall be two weeks as from their discovery.

3. If the goods are defective, we shall at our discretion be entitled either to rectify the defects (rectification of defects) or deliver defect-free goods (replacement delivery).

4. The purchaser shall store and handle rejected goods in the correct and proper manner.

5. We shall have the right to examine rejected goods together with an expert or other third party appointed by ourselves for the purposes of appraisal, and if necessary for the purpose of drawing up cost estimates or similar. If the purchaser fails to make the rejected goods available to us for examination within a reasonable period set by ourselves, our liability for the defects shall cease on expiry of said period.

6. In the course of supplementary performance which we are liable to carry out, we shall neither be under obligation to remove the defective thing nor to install the new thing if we were not originally under obligation to install.

7. Warranty claims on the part of the purchaser such as are oriented toward damages or compensation for futile expenditure may stand as governed in Section X („Liability“), but shall otherwise be excluded.

8. For goods which have in accordance with their normal intended use been used in a building and have caused said building to be defective, the period of limitation shall be 5 years as from delivery. For all other goods the period of limitation shall be 1 year as from delivery. In cases of intent or gross negligence or if a guarantee has been given (§ 444 of the German Civil Code BGB), and cases such as those quoted in § 479 of the German Civil Code BGB and other special statutory regulations on limitation, the statutory period of limitation will continue to apply.

9. Our liability for defects shall not extend to cover damage caused by normal wear and tear (e. g. metal abrasion or wear caused by abrasive agents), deterioration in surface properties such as was unavoidable according to the accepted engineering standards at the time when the contract was concluded, improper use of the goods, non-compliance with the instructions for cleaning, care or use, or damage caused by the purchaser or a third party or parties.

## X. LIABILITY

1. We shall be liable to the purchaser for damages and compensation for expenses, in each case as governed by the statutory regulations, in the following cases (here below in Section X: „Liability“): liability under the German Product Liability Act (ProdHaftG); intent or fraudulent misrepresentation; gross negligence; injury to life, limb or health; cases in which a guarantee has been given by ourselves; cases such as those quoted in § 288 Para. 6 Sentence 1 of the German Civil Code BGB and any other cases of statutorily compulsory liability.

2. We shall also be liable to the purchaser for damages in case of culpable breach of material contractual obligations as governed by the statutory regulations. Material contractual obligations within the meaning of this clause are all obligations the breach of which jeopardises the achievement of the object of the contract and all obligations without the performance of which the contract cannot properly be fulfilled and in compliance with which the purchaser may routinely trust. Having said that, if a material contractual obligation is breached in a way that involves only ordinary negligence, entitlements of the purchaser to claim for damages shall, as regards the amount, be restricted to typical foreseeable loss or damage.

3. If we default on or fall behind with our performance, the purchaser shall be entitled to claim a gainst us on the basis of that default if his claim is for a contractual penalty or lump-sum compensation incurred within a supply chain in another contractual relationship in that supply chain, but only if he informed us expressly about the risk of such loss or damage prior to the conclusion of the contract. If not, the purchaser shall be entitled to claim for a contractual penalty or lump-sum compensation owed and paid by him as loss or damage caused by default only in the amount of a maximum of 5% of the net value of our order. The above shall apply correspondingly if the purchaser makes a claim against us for indemnification in respect of such contractual penalties or lump-sum compensation.

4. For the rest, there shall be no entitlement of the purchaser to claim for damages for whatever cause in law.

5. If our liability is restricted or excluded in accordance with the above provisions, the same shall apply to the personal liability of our legal representatives, employees, non-managerial staff and vicarious agents.

6. The entitlement of the customer to claim for damages shall fall under the statute of limitation within the statutory periods of limitation, the statutory regulations also applying as regards the beginning of said periods.

## XI. OFFSET, RIGHT OF RETENTION

1. The purchaser shall only be entitled to offset against due claims which are uncontested or have been established as legally established as final.

2. The purchaser shall only be entitled to a right of retention in respect of legally enforceable or uncontested claims.

## XII. INDUSTRIAL PROPERTY RIGHTS

All industrial and intellectual property rights relating to our products, shapes, illustrations, installation instructions, reports, data and other records and documents shall remain the property of ourselves or, as the case may be, our respective licensors. No rights of use or exploitation shall be granted to the purchaser relating to said industrial or intellectual property rights.

## XIII. APPLICABILITY OF GERMAN LAW, PLACE OF JURISDICTION

1. The law of the Federal Republic of Germany shall apply, there being no recourse to the UN Convention on Contracts for the International Sale of Goods (CISG).

2. If the purchaser is a businessman who concludes the contract in the context of a commercial transaction, a legal entity under public law or a separate asset under public law, the place of jurisdiction for all disputes arising from or in connection with the contract shall be the registered office of the Villeroy & Boch group company which concluded the contract. If that company does not have a general jurisdiction venue in the Federal Republic of Germany, the place of jurisdiction shall be the registered office of Villeroy & Boch AG.

# INDEX

Ref.	Page	Ref.	Page	Ref.	Page	Ref.	Page
3303	69	6770	25, 56	8K09	23-24, 26-27, 35, 54-55, 57-58, 63, 76, 97	9273	90
3304	20	6772	42, 67	8K12	97	9275	83
3305	32	6780	28, 59	8K13	97	9276	85-86
3307	37, 65	6781	43, 68	8K14	17, 29, 60	9277	85
3309	26, 57	6790	29, 60	8K18	69	9278	81
3310	48	8214	19, 25, 28, 56, 59	8K19	69	9279	81, 99
3312	41	8215	19, 25, 28, 56, 59	8K23	20, 96	9405	97
3313	41	8223	15-16, 18, 72-73	8K24	32, 96	9624	15-76, 95-96
3315	36, 64	8226	15-16, 18, 72-73	8K29	37, 65	9668	87, 98
3324	51	8231	38-39	8K30	18, 38-39	9697	91, 99
3325	50	8232	70	8K31	97	9837	75
3334	40, 66	8233	38-39, 71	8K33	25-27, 36, 41-43, 56-59, 64, 67-68, 95	9841	44, 49, 97
3335	33, 61	8244	31	8K34	96	9849	46, 50, 97
3336	21, 52	8245	31	8K36	15-43, 52-68, 95	9850	97
3337	22, 53	8248	75	8K37	25-28, 36, 41-43, 56-59, 64, 67-68, 96	9851	44
3340	38	8249	75	8K80	76	9888	76
3345	34, 62	8262	70	8K81	76	9K04	23-28, 34-36, 41-43, 54-59, 62-64, 67-68, 96
3346	23, 54	8270	71, 74	8K92	20, 22, 53	9K08	15-71, 74, 95
3350	30	8276	17, 21, 26-27, 29-30, 33, 36-37, 40-43, 45-48, 50-52, 57-58, 60-61, 64-68	8K93	32	9K09	97
3351	35, 63	8282	44, 49	8K94	23-24, 34-35, 54-55, 62-63	9K10	21, 52, 97
3352	35, 63	8283	44, 49	8K96	20, 22, 53	9K11	22, 33, 53, 61, 97
3360	17	8286	17, 21, 26-27, 29-30, 33, 36-37, 40-43, 45-48, 50-52, 57-58, 60-61, 64-68, 74	8K97	23-24, 32, 34-35, 54-55, 62-63	9K12	40, 66, 97
3361	24, 55	8299	18, 21-22, 33, 36, 40, 49, 52-53, 61, 64, 66, 95, 99	8K99	30, 34, 36, 62, 64	9K13	15-68, 96
3362	24, 55	8304	97	9208	69-71		
3365	18	8306	19	9218	44-51		
3380	15	8314	31	9220	52-68, 97		
6320	71	8314	31	9236	93		
6323	70	8323	70	9240	79		
6360	74	8331	97	9251	80, 98		
6380	73	8341	70, 97	9252	80, 99		
6390	72	8345	15-19, 30-31, 34, 38-39, 62, 96	9253	92, 98-99		
6702	44	8349	75, 97	9254	92		
6703	46	8395	97	9257	82		
6704	47	8397	45, 48, 97	9258	82		
6706	45	8K00	20, 32, 95	9265	90, 98-99		
6708	76	8K02	19	9266	88, 98		
6712	25, 56	8K03	31-32, 47, 51	9267	89		
6714	42, 67	8K04	25, 28, 56, 59, 97	9268	88, 99		
6718	27, 58	8K05	97	9269	89		
6719	27, 58	8K06	41-43, 67-68, 97	9270	84, 98		
6726	16	8K07	16, 97	9271	84, 98		
6729	75			9272	82, 99		
6732	31						
6745	39						
6758	49						
6759	19						

Name	Page	Name	Page	Name	Page	Name	Page
<b>Built-in sinks</b>		Subway Style 50 - 3351/3352	35	Cisterna 60B - 6702	44	Finera Slope - 9276	85
Architectura 45 - 3340	38	Subway Style 60 - 3361/3362	24	Cisterna 60C - 6706	45	Finera Square - 9271	84
Architectura 50 - 3350	30	Timeline 50 - 3307	37	Subway 45 SU - 3324	51	Finera Square Slope - 9277	85
Architectura 60 - 3360	17	Timeline 60 - 6790	29	Subway 50 SU - 3325	50	Junis Shower - 9281	86
Architectura 60 XR - 3365	18	<b>Flush-mounted sinks</b>		Subway 60 SU - 3310	48	Junis Sky Shower - 9282	86
Architectura 80 - 3380	15	Siluet 45 flat - 3334	66	Subway 60 XU - 6758	49	Modern Steel - 9668	87
Condor 45 - 6745	39	Siluet 50 flat - 3335	61	<b>Modules</b>		Soap Dispender - 9236	93
Condor 50 - 6744	31	Siluet 50 S Flat - 3345	62	Double bowl sink - 6320	70	Sorano - 9266	88
Condor 60 - 6759	19	Siluet 60 flat - 3336	52	Farmhouse 60 X - 6360	74	Sorano Shower - 9268	88
Flavia 50 - 3305	32	Siluet 60 R flat - 3337	53	Farmhouse 80 X - 6380	73	Sorano Sky - 9267	89
Flavia 60 - 3304	20	Siluet 60 S Flat - 3346	54	Farmhouse 90 X - 6390	72	Sorano Sky Shower - 9269	89
Siluet 45 - 3334	40	Subway 45 flat - 6714/6772	67	Monumentum - 3303	69	Steel Expert 2.0 - 9280	90
Siluet 50 - 3335	33	Subway 45 XS flat - 6781	68	Single bowl sink - 6323	71	Steel Expert Compact - 9273	90
Siluet 50 S - 3345	34	Subway 50 S flat - 3315	64	<b>Corner sinks</b>		Steel Shower - 9697	91
Siluet 60 - 3336	21	Subway 60 flat - 6712/6770	56	Arena Corner - 6729	75	Umbrella - 9253	92
Siluet 60 R - 3337	22	Subway 60 S flat - 3309	57	Solo Corner - 6708	76	Umbrella Flex - 9254	92
Siluet 60 S - 3346	23	Subway 60 XL flat - 6718/6719	58	<b>Taps</b>			
Subway 45 - 6714/6772	42	Subway 60 XM flat - 6780	59	Avia 2.0 - 9240	79		
Subway 45 Compact - 3312/3313	41	Subway Style 50 Flat - 3351/3352	63	Como - 9251	80		
Subway 45 XS - 6781	43	Subway Style 60 Flat - 3361/3362	55	Como Shower - 9252	80		
Subway 50 S - 3315	36	Timeline 50 flat - 3307	65	Como Shower Sky - 9279	81		
Subway 60 - 6770	25	Timeline 60 flat - 6790	60	Como Shower Window - 9258	82		
Subway 60 S - 3309	26	Undercounter sinks		Como Sky - 9278	81		
Subway 60 XL - 6718/6719	27	Cisterna 45 - 6704	47	Como Switch - 9272	82		
Subway 60 XM - 6780	28	Cisterna 50 - 6703	46	Como Window - 9257	82		
Subway 80 - 6726	16			Como X - 9275	83		
				Finera - 9270	84		

# VILLEROY & BOCH

*Villeroy & Boch AG  
Bathroom and Wellness Division  
Headquarters  
D-66693 Mettlach  
GERMANY*

*Tel. +49 (0) 6864-81-0  
Fax +49 (0) 6864-81-1405*